

## New antibody therapy dramatically improves psoriasis symptoms in clinical trial

March 13 2015



A sample from one psoriasis patient shows thickening of the outer layer of skin, known as the epidermis (top). Eight weeks after treatment, the epidermis has thinned to a normal level (bottom). Credit: Laboratory of Investigative Dermatology at Rockefeller University/*Journal of Allergy and Clinical Immunology* 



Many patients suffering from psoriasis showed significant recovery after just a single dose of an experimental treatment with a human antibody that blocks an immune signaling protein crucial to the disease, researchers report. By the end of the trial, conducted at Rockefeller University and seven other centers, nearly all of the 31 patients to receive treatment saw dramatic, if not complete, improvement in their symptoms.

"The striking result we achieved using a human antibody that targets the signal interleukin-23 suggests we are on the threshold of doing something very different from our current model of treating psoriasis with <u>immunosuppressive drugs</u> throughout an adult lifetime," says study author James Krueger, director of the Milstein Medical Research Program, D. Martin Carter Professor in Clinical Investigation and head of the Laboratory of Investigative Dermatology. "It raises the possibility of working toward long-term remission—in other words, a cure." The *Journal of Allergy and Clinical Immunology* published the results on Thursday (March 12).

Psoriasis is a debilitating disease in which the body's immune system mistakenly turns on the <u>skin</u>, producing red, itchy, scaly patches. In 2004, Krueger and colleagues suggested a dominant role for interleukin-23 in the disease, and research since then has supported this hypothesis. It appears that interleukin-23, a type of immune signaling molecule known as a cytokine, kicks off a cascade of interactions that leads to inflammation in the skin and excessive growth of skin cells and dilation of blood vessels.

The discovery of interleukin-23's role has led to tests of a number of new antibody-based therapies that target it, but the compound, known as BI 655066, stands out. BI 655066 is a <u>human antibody</u> that targets interleukin-23 and blocks it from binding to the receptors on cells that respond to it. Only a single treatment produced what the team describes



as "rapid, substantial, and durable clinical improvement in patients with moderate-to-severe psoriasis." On average, patients who received the treatment had a more than 80 percent improvement in the severity and extent of their skin lesions that continued until tracking ended six weeks after <u>treatment</u>. Meanwhile, genetic sequencing from skin samples revealed that the antibody's action reduced the expression of many of the cytokines and other molecules that define <u>psoriasis</u>.

Provided by Rockefeller University

Citation: New antibody therapy dramatically improves psoriasis symptoms in clinical trial (2015, March 13) retrieved 5 May 2024 from <u>https://medicalxpress.com/news/2015-03-antibody-therapy-psoriasis-symptoms-clinical.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.