

# Slowed growth could signal Crohn's disease in kids

March 19 2015

---



Failure to gain weight, or weight loss, can point to a gastrointestinal issue, expert says.

(HealthDay)—A lag in growth could be a sign that a child might suffer from undiagnosed inflammatory bowel disease (IBD), especially Crohn's disease, one pediatric doctor says.

"Growth charts are one of the most important things we look at with children because sometimes a slower growth rate is the only sign of IBD, especially with Crohn's disease," Dr. Marc Schaefer, a pediatric gastroenterologist, said in a Penn State University news release.

Other symptoms of [inflammatory bowel disease](#) in children include not wanting to eat, persistent stomach pains, and diarrhea or bloody stools, said Schaefer, who works at Penn State Hershey Children's Hospital in

Hershey, Pa.

Children with these symptoms should be evaluated, he suggested.

Blood tests and endoscopy are also used to diagnose and to distinguish Crohn's from [ulcerative colitis](#), another type of inflammatory bowel disease that causes rectal bleeding, Schaefer added.

The causes of Crohn's and ulcerative colitis aren't clear, but it is known that family history plays a role.

"If a [family history](#) of IBD is present, there is an increased risk for a child to get it, but it's not definitive. It is difficult to predict," Dr. Tolulope Falaiye, also a pediatric IBD specialist at Penn State Hershey, said in the news release.

Even within families, symptoms and severity of the disease can vary widely. While some people manage to control the condition for a long time after the first flare-up, others have recurrences.

"We always tell families it is a lifelong condition," Schaefer said.

Certain foods or a stomach bug can trigger [symptoms](#) in some people with inflammatory bowel disease, but there is no special diet that cures it, he said. Treatments include medications and, in some patients with ulcerative colitis, removal of the colon.

"We really individualize the treatment and tailor it to each patient," Schaefer said in the news release. "We have to factor in results of endoscopies as well as the severity and behavior of the disease. What might work for one patient may not be best for another."

**More information:** The Crohn's and Colitis Foundation of America

has more about [inflammatory bowel disease](#).

Copyright © 2015 [HealthDay](#). All rights reserved.

Citation: Slowed growth could signal Crohn's disease in kids (2015, March 19) retrieved 26 April 2024 from <https://medicalxpress.com/news/2015-03-growth-crohn-disease-kids.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.