

Suffering from abuse during childhood increases the chances of depression, above all in those adults who are genetically

April 13 2015



An international research project led by scientists from the U. of Granada has demonstrated that the risk of suffering from depression due to abuse during childhood is significantly higher in those patients who are genetically predisposed.

This research has been published in the prestigious *Journal of Psychiatry and Neuroscience*, and it has been coordinated by Prof. Blanca Gutiérrez, from the Psychiatry Department at the U. of Granada. Participants include researchers from the CIBERSAM group (UGR Centre for Biomedical Research), the Biostatistics Department at the U. of Granada, King's College in London, Loyola University in Andalusia, the University of Seville, the University of Zaragoza, the Health Service of La Rioja, the Health Service of the Canary Islands, and the San Cecilio Clinical University Hospital in Granada.

Scientists analysed a sample which consisted of 2.679 [primary health care](#) patients from 41 different [health](#) clinics in seven different Spanish provinces, between the ages of 18 and 75. They were all followed during a period of three years, and the survey included genetic tests.

The results demonstrated that those individuals who have scarcely functional genes implied in neurotrophism (BDNF) and in serotonin transmission are particularly vulnerable to the noxious effects that [childhood abuse](#) (either psychological, physical or sexual) has upon general mood and as a risk factor in clinical depression.

According to prof. Gutiérrez "it is an important result, which proves a triple genetic-environmental sort of interaction whose relevance is even more important if we take into consideration that the response to antidepressants appears to be fundamentally mediated through proteins codified by the two genes we have studied."

"Our results present a fundamental genetic-environmental model to

explain this sort of therapeutic response", concludes this researcher from the U. of Granada.

More information: "The risk for major depression conferred by childhood maltreatment is multiplied by BDNF and SERT genetic vulnerability: a replication study." jpn.ca/wp-content/uploads/2014/12/39-6-140097.pdf

Provided by University of Granada

Citation: Suffering from abuse during childhood increases the chances of depression, above all in those adults who are genetically (2015, April 13) retrieved 20 May 2024 from <https://medicalxpress.com/news/2015-04-abuse-childhood-chances-depression-adults.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--