

# Quit smoking at age 60: Lower risk for heart attack and stroke within the first five years

April 22 2015

---



Credit: Vera Kratochvil/public domain

In the most comprehensive study ever on the impact of smoking on cardiovascular disease in older people, epidemiologist Dr. Ute Mons from the German Cancer Research Center (Deutsches Krebsforschungszentrum, DKFZ) analyzed 25 individual studies, compiling data from over half a million individuals age 60 and older.

Twice as many [smokers](#) die from [cardiovascular disease](#) than life-long non-smokers do. The increase in [risk](#) depends on the number of cigarettes that a person has smoked in his or her lifetime. After one quits smoking, this risk continues to decrease. On average, the risk for former smokers is only 1.3 times that of people who have never smoked in their lives.

Within the first five years after smoking one's last cigarette, the risk already decreases measurably. Even those who quit smoking past age 60 still benefit from the decreased risk of developing cardiovascular disease. However, the more time that has passed since one has quit, the more considerable the decrease in a former smoker's risk of dying from heart attack or stroke.

Since people often find it difficult to determine the relevance of relative risks, Mons and her colleagues also used an alternative method to assess the results of their meta-analysis: They calculated the number of years by which smoking accelerates death from [heart disease](#). They found that the age of smokers who die from cardiovascular disease is, on average, five and a half years younger than people who have never smoked in their lives. By contrast, the age for former smokers drops to just over two years younger than life-long non-smokers.

"Therefore, it is never too late to stop smoking. Even people in the highest age group still gain considerable health benefits from it," says study head Prof. Hermann Brenner. "Many heart attacks and strokes, with all of their serious consequences, could be prevented this way."

**More information:** Ute Mons, Aysel Müezziner, Carolin Gellert, Ben Schöttker, Christian C. Abnet, Martin Bobak, Lisette de Groot, Neal D. Freedman, Eugène Jansen, Frank Kee, Daan Kromhout, Kari Kuulasmaa, Tiina Laatikainen, Mark G. O'Doherty, Bas Bueno-de-Mesquita, Philippos Orfanos, Annette Peters, Yvonne T. van der

Schouw, Tom Wilsgaard, Alicja Wolk, Antonia Trichopoulou, Paolo Boffetta and Hermann Brenner, on behalf of the CHANCES consortium: Impact of smoking and smoking cessation on cardiovascular events and mortality among older adults - Meta-analysis of individual participant data from prospective cohort studies of the CHANCES consortium. *British Medical Journal* 2015, [DOI: 10.1136/bmj.h1551](https://doi.org/10.1136/bmj.h1551)

Provided by German Cancer Research Center

Citation: Quit smoking at age 60: Lower risk for heart attack and stroke within the first five years (2015, April 22) retrieved 25 April 2024 from <https://medicalxpress.com/news/2015-04-age-heart-years.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.