

Bipolar FRF Tx for acne in Japanese deemed safe, effective

April 13 2015



(HealthDay)—Bipolar fractional radiofrequency (FRF) therapy appears to be effective for atrophic acne scars and acne among Japanese patients, according to a study published online April 9 in the *Journal of Dermatology*.

Chikako Kaminaka, M.D., from Wakayama Medical University in Japan, and colleagues evaluated the safety and efficacy of bipolar FRF therapy as a treatment for atrophic [acne](#) scars and acne vulgaris. Twenty-three Japanese patients were treated with a bipolar FRF system, undergoing five treatment sessions at one-month intervals. After the final treatment, patients were followed for three months.

The researchers observed marked improvements in scar volume among patients with mild scars. In 57.5 percent of the treated areas, the

improvement was at least moderate. At each time point, the treated areas exhibited significantly fewer lesions compared with baseline (P

"The findings of this study suggest that bipolar FRF [treatment](#) is effective against atrophic acne scars and acne in Japanese [patients](#) and has minimal side-effects," the authors write.

The study was funded by JMEC.

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2015 [HealthDay](#). All rights reserved.

Citation: Bipolar FRF Tx for acne in Japanese deemed safe, effective (2015, April 13) retrieved 26 April 2024 from <https://medicalxpress.com/news/2015-04-bipolar-frf-tx-acne-japanese.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--