


Mapping energy metabolism of growing nerve cells to better understand neuronal disorders

April 10 2015



Mitochondria are responsible for creating more than 90 percent of the energy needed by the body to sustain life and support growth. ATP energy is produced when the mitochondria transfers glucose and oxygen into water and carbon dioxide. How ATP is produced and delivered to intricate neuronal dendrites has been a mystery. Credit: Mineko Kengaku, Kyoto University's Institute for Integrated Cell-Material Sciences (iCeMS)

Scientists from Kyoto University's Institute for Integrated Cell-Material Sciences (iCeMS) in Japan have discovered how nerve cells adjust to low energy environments during the brain's growth process. Their study, published in the *Journal of Neuroscience*, may one day help find treatments for nerve cell damage and neurodegenerative disorders such as Alzheimer's and Parkinson's diseases.

Neurons in the brain have extraordinarily high energy demands due to its complex dendrites that expand to high volume and surface areas. It is also known that neurons are the first to die from restriction of blood supply to tissues, causing a shortage of oxygen and glucose needed for cellular metabolism. Little was known, however, on how cells adjust to low energy level environments in the developing brain, when [mitochondria](#)—the so-called "power plant" of the cell—do not get delivered on time, and a lag in the energy distribution occurs, which may lead to a variety of neurodegenerative disorders.

To unlock the mystery, the research team studied mitochondria and energy consumption in a live, growing nerve cell over the course of a week.

"If neurons try to grow in low ATP [energy levels](#), they could end up deformed, and even worse, put the life of the cell itself at stake," said Kansai Fukumitsu, who was involved in the study. "Since a single mitochondria in the root of the cell is not enough to supply energy to the nerve ends, the cell distributes mitochondria to its most outer branches to deliver power where energy levels are scarce."

In areas of low ATP energy concentrations, chemical changes were brought by molecular proteins, which stopped the dendrites from growing further.

"We found two protein molecules that synergistically produced enzymes

to allocate energy molecules where it is direly needed for cellular survival," says Mineko Kengaku, the principal investigator of the study from iCeMS.

In the future, Kengaku and her co-authors envision treatments for incurable diseases by mapping the nerve [cell metabolism](#) in an energy-deprived state. "If we can get a better understanding of an unhealthy neuron, we may someday find ways to cure pathologies caused by them."

Provided by Kyoto University

Citation: Mapping energy metabolism of growing nerve cells to better understand neuronal disorders (2015, April 10) retrieved 20 April 2024 from <https://medicalxpress.com/news/2015-04-energy-metabolism-nerve-cells-neuronal.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.