

Finding liver cancer early and reversing its course

April 21 2015

Liver cancer is often lethal in humans because it is diagnosed in late stages, but new work in animal models has identified a potential diagnostic biomarker of the disease and a potential way to reverse the damage done. The study will be presented at the American Association for Cancer Research (AACR) Annual Meeting 2015 in Philadelphia.

Ying Fu, PhD, of Georgetown Lombardi Comprehensive Cancer Center explains this new work:

"Hepatocellular carcinoma, the most common form of <u>liver cancer</u>, remains the third leading cause of cancer-related deaths worldwide due to a lack of biomarkers for <u>early detection</u> and rapid fatality shortly after diagnosis.

"In this work, we demonstrate that a damaged lesion (γ -OH-Acr-dG) on a DNA base (guanine) is correlated with the development of <u>hepatocellular carcinoma</u> in two mouse models. It has the potential to serve as a biomarker for early detection of hepatocellular carcinoma.

"Furthermore, polyphenon E, a formulation of green tea extract containing antioxidant catechins (plant metabolites) showed the most potent effect to suppress the lesion. More importantly, 86 percent of the mice on the polyphenon E diet appeared to have complete protection from tumor development."

More information: "Cancer preventive effect of antioxidants for



spontaneous liver cancer in XPA(-/-) mice" will be presented Tuesday, April 21, 2015, 1:00 pm ET; poster section 34, poster 4.

Provided by Georgetown University Medical Center

Citation: Finding liver cancer early and reversing its course (2015, April 21) retrieved 6 May 2024 from <u>https://medicalxpress.com/news/2015-04-liver-cancer-early-reversing.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.