

Quality improvement intervention cuts tests ordered

April 1 2015



(HealthDay)—Implementation of a multifaceted quality improvement intervention is associated with a decrease in the number of ordered laboratory tests, according to a study published online March 21 in the *Journal of Hospital Medicine*.

Adam H. Corson, M.D., from the Swedish Medical Center in Seattle, and colleagues undertook a quality improvement intervention, composed of academic detailing, audit and feedback, and transparent reporting of the frequency with which common labs were ordered, to decrease unnecessary common [laboratory tests](#) in a large community hospitalist group. The authors compared ordered lab tests in a cohort of patients during the 10-month pre-intervention baseline period (7,824 patients) with those in a cohort during the seven-month intervention period (5,759 patients).

The researchers found that during the intervention period, the number of common labs ordered per patient-day decreased by 0.22 (10.7 percent) compared with baseline, after adjustment for age, sex, and principle discharge diagnosis (P

"Implementation of a multifaceted [quality improvement intervention](#) within a community-based hospitalist group was associated with a significant, but modest, decrease in the number of ordered [lab tests](#) and hospital costs," the authors write.

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2015 [HealthDay](#). All rights reserved.

Citation: Quality improvement intervention cuts tests ordered (2015, April 1) retrieved 8 May 2024 from <https://medicalxpress.com/news/2015-04-quality-intervention.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--