

Alzheimer's culprit causes memory loss even before brain degeneration

May 29 2015



Diagram of the brain of a person with Alzheimer's Disease. Credit: Wikipedia/public domain.

The study, published May 29 in the open access Nature Publishing Group journal *Scientific Reports*, reveals a direct link between the main culprit of Alzheimer's disease and memory loss.

Alzheimer's disease is characterized by the formation of [amyloid plaques](#) in the [brain tissue](#). These amyloid plaques are made up of an insoluble protein, 'Amyloid-beta' (Abeta), which forms small structures called 'oligomers' that are important in the disease progression.

Although these proteins are known to be involved in Alzheimer's, little is

understood about how they lead to memory loss.

Sussex Neuroscience researchers investigated how Abeta affected healthy brains of pond snails (*Lymnaea stagnalis*) by observing the effect of administering the protein following a food-reward training task.

The results showed that snails treated with Abeta had significantly impaired memories 24 hours later when tested with the food task, even though their brain tissue showed no sign of damage.

Lead author on the study Lenzie Ford said this demonstrated that Abeta alone is enough to lead to the symptoms of memory loss that are well known in Alzheimer's disease.

She said, 'what we observed was that snail brains remained apparently healthy even after the application of the protein. There was no loss of brain tissue, no signs of cell death, no changes in the normal behaviour of the animals, and yet memory was lost.

'This shows that Alzheimer's [amyloid proteins](#) don't just affect memory by killing neurons of the brain, they seem to be targeting specific molecular pathways necessary for memories to be preserved.'

Professor George Kemenes, a Sussex neuroscientist who pioneered a thorough understanding of the molecular mechanisms of learning and memory in the pond snail's nervous system, said, 'because we understand the memory pathways so well, the simple snail brain has provided the ideal model system to enable us to link the loss of established memory to pure Abeta'.

The work will provide a platform for a more thorough investigation of the mechanisms and effects on [memory](#) pathways that lead to this [memory loss](#).

Professor Serpell, a senior author on the study and co-director of the University of Sussex's Dementia Research Group, said, 'It is absolutely essential that we understand how Alzheimer's disease develops in order to find specific targets for therapeutics to combat this disease.'

More information: 'Effects of A β exposure on long-term associative memory and its neuronal mechanisms in a defined neuronal network'

Ford, L., Crossley, M., Williams, T., Thorpe, J.R., Serpell, L.C., Kemenes, G. Sci. Rep. 5, 10614; [DOI: 10.1038/srep10614](https://doi.org/10.1038/srep10614) (2015).

Provided by University of Sussex

Citation: Alzheimer's culprit causes memory loss even before brain degeneration (2015, May 29)
retrieved 5 May 2024 from

<https://medicalxpress.com/news/2015-05-alzheimer-culprit-memory-loss-brain.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--