

Bird flu virus raises questions scientists working to answer

May 2 2015, by David Pitt



This April 23, 2015 photo shows Sunrise Farms in Harris, Iowa, which has said it will kill its 3.8 million laying hens because of the bird flu virus. The Iowa infection is one of the largest to hit midwestern states where the virus has cost turkey and chicken producers millions of birds since early March. (Zach Boyden-Holmes/The Des Moines Register via AP)

It's been five months since the H5N2 bird flu virus was discovered in the United States, and producers have lost 21 million birds in the Midwest alone. Yet, researchers acknowledge they still know little about a bird flu virus that's endangered turkey and egg-laying chicken populations that supply much of the nation.

Scientists at the U.S. Department of Agriculture, the Centers for Disease Control and Prevention and other federal agencies are puzzled by the H5N2 virus' spread—even amid heightened biosecurity measures—and apparent lack of widespread deaths in largely unprotected backyard

flocks.

"At this point, we don't know very much about these viruses because they've only recently been identified," Dr. Alicia Fry, the CDC's leader of the influenza prevention and control team, said. "We're following the situation very closely because this is something we're continuing to understand."

The current H5N2 virus surfaced last winter in Canada and was first identified in the United States in early December, when it was found in a wild bird on the West Coast. This spring, the virus was found in poultry operations in eight Midwest states, forcing commercial producers to kill and compost millions of turkeys and chickens in Iowa, Minnesota and elsewhere.

Scientists speculate that perhaps rodents or small birds, seeking food, tracked the virus into barns. Maybe it's the work of flies, as the [bird flu virus](#) has been found on the insects in a Pennsylvania outbreak in 1983 and in Japan in 2004. The USDA's chief veterinarian even floated the idea last week wind may be blowing dust and feathers carrying the virus from the barnyard into buildings through air vents.

"To me, the main concern is the disease is moving even with heightened biosecurity," said Richard French, a professor of animal health at Becker College in Worcester, Massachusetts. "Ideally we've got to try and figure out the way it's most likely moving and try to put controls in place to stop that."

Poultry farms' biosecurity measures include changing clothes and boots before entering barns, disinfecting equipment and vehicles before they approach the barns and assigning workers to specific barns.



In this April 23, 2015 photo, trucks are sprayed with disinfectant before leaving Sunrise Farms in Harris, Iowa. The northwest Iowa farm has said it will kill its 3.8 million laying hens because of the bird flu virus. The Iowa infection is one of the largest to hit midwestern states where the virus has cost turkey and chicken producers millions of birds since early March. (Zach Boyden-Holmes/The Des Moines Register via AP)

As new operations are infected almost daily, USDA epidemiologists also are trying to determine whether the virus came from a wild bird or could have spread from poultry in another barn or a nearby farm.

"We are continuing to evaluate how facilities become positive because we also want to be cognizant of any potential risk of lateral spread from farm to farm," said Dr. T.J. Myers, the USDA associate deputy administrator of veterinary services. "We are doing those evaluations as we speak and we really don't have enough data to report on that yet."

Another puzzling question has been why there hasn't been a surge in

infections of backyard flocks. The USDA has identified 12 cases including five in Washington in January and February, plus others in Idaho, Kansas, Minnesota, Montana, Oregon and Wisconsin.



In this April 23, 2015 photo, trucks are sprayed with disinfectant before leaving Sunrise Farms in Harris, Iowa. The northwest Iowa farm has said it will kill its 3.8 million laying hens because of the bird flu virus. The Iowa infection is one of the largest to hit midwestern states where the virus has cost turkey and chicken producers millions of birds since early March. (Zach Boyden-Holmes/The Des Moines Register via AP)

Cases might not be reported, French said, noting that commercial operations have a financial incentive to immediately report illnesses because the government pays them for each live bird that must be destroyed. Plus, French said, outdoor chickens could have been exposed over time to low pathogenic versions of [bird flu](#) and have developed

stronger immunity.

One belief held by researchers will soon be tested: whether the virus will die as temperatures warm up and ultraviolet light increases. With temperatures this week in the 70s in many of the affected states and even warmer weather expected soon, infections should decline if that assumption is true.

But David Swayne, director of the Southeast Poultry Research Laboratory in Athens, Georgia, acknowledged it's hard to predict what will happen.

"It's pretty complex. It involves the climate, the temperature itself, the amount of humidity there," he said.



In this April 23, 2015 photo, workers with clear plastic boots stop to have their feet disinfected before leaving Sunrise Farms in Harris, Iowa. The northwest Iowa farm has said it will kill its 3.8 million laying hens because of the bird flu

virus. The Iowa infection is one of the largest to hit midwestern states where the virus has cost turkey and chicken producers millions of birds since early March. (Zach Boyden-Holmes/The Des Moines Register via AP)

Scientists expect the virus to return in the fall along with cooler temperatures and wild birds migrating south, but Swayne says the virus could burn itself out and disappear for a while before that.

Amid all the questions is one about the human element: Could the [virus](#) spread to people? So far, it hasn't, but significant efforts are underway to develop a vaccine just in case.

"We're cautiously optimistic that we will not see any human cases, but there certainly is a possibility that we may," Fry said.

© 2015 The Associated Press. All rights reserved.

Citation: Bird flu virus raises questions scientists working to answer (2015, May 2) retrieved 27 April 2024 from <https://medicalxpress.com/news/2015-05-bird-flu-virus-scientists.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--