

Can diet and exercise prevent muscle loss in old age?

May 12 2015

Scientists at the University of Southampton have shown that although some studies find diet can enhance the effects of exercise to prevent muscle loss in later life, current evidence about what works is inconsistent.

Between the ages of 40 and 80, an estimated 30 to 50 per cent of muscle mass is lost, resulting in lower strength and less ability to carry out everyday tasks. This process - known as sarcopenia - is common and clearly linked to frailty and poorer health in <u>older people</u>. The associated health care costs are substantial.

Exercise training and diet supplementation have been shown to be effective in preventing sarcopenia in some studies, but little is known about the combined effects of training with supplements, particularly in older people.

In the study, published in *Clinical Interventions in Aging*, scientists from the Medical Research Council (MRC) Lifecourse Epidemiology Unit at the University of Southampton carried out a <u>review</u> of combined diet and exercise training trials in men and women aged over 65 years old. Almost 5,000 scientific articles were screened, with more than 100 reviewed in detail and 17 of these were included in the review. The review shows that findings differ across studies and suggests more research is needed.

Professor Sian Robinson, who led the review, says, "Poor diets and being



physically inactive are common in older age. Understanding the benefits of maintaining sufficient levels of physical activity and diet quality to prevent sarcopenia is therefore a priority.

"Although some studies have found enhanced effects of exercise training when combined with diet supplementation, our review shows that current evidence is incomplete and inconsistent. Further research to determine the benefits of supplementation and <u>exercise training</u> for older people is therefore needed."

Professor Cyrus Cooper, Professor of Rheumatology and Director of the MRC Lifecourse Epidemiology Unit, adds: "This study is part of an important programme of research at the MRC Lifecourse Epidemiology Unit that aims to improve our understanding of the effects of environment and lifestyle on musculoskeletal health and the process of ageing."

Professor Avan Aihie Sayer, Professor of Geriatric Medicine at the MRC Lifecourse Epidemiology Unit who oversaw the work, comments: "Sarcopenia is now recognised as a major clinical problem for older people. Gaining insights into the effects of lifestyle on losses of <u>muscle</u> <u>mass</u> and strength will be essential for the development of future public health strategies to promote better health in later life."

The study Prevention and optimal management of sarcopenia: A review of combined exercise and nutrition interventions to improve muscle outcomes in older people was funded by the Medical Research Council.

More information: Prevention and optimal management of sarcopenia: A review of combined exercise and nutrition interventions to improve muscle outcomes in older people, *Clinical Interventions in Aging*, 2015.



Provided by University of Southampton

Citation: Can diet and exercise prevent muscle loss in old age? (2015, May 12) retrieved 6 May 2024 from <u>https://medicalxpress.com/news/2015-05-diet-muscle-loss-age.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.