

# Majority of older adults willing to be screened by telephone for dementia

May 1 2015

---



Regenstrief investigator Nicole Fowler, Ph.D. is an Indiana University Center for Aging Research scientist. Credit: Regenstrief Institute

Nearly two-thirds of older adults were willing to undergo telephone screening for dementia, according to a new study from the Indiana University Center for Aging Research and the Regenstrief Institute. Willingness to be screened by phone did not differ by sex, age or race.

The researchers found that the two most significant predictors of [willingness](#) to be screened by phone were belief in benefits of early knowledge of [cognitive decline](#) and having a friend or relative with Alzheimer's disease.

Screening for [dementia](#) is designed to detect problems requiring further diagnostic assessment.

["Older Primary Care Patients' Attitudes and Willingness to Screen for Dementia"](#) appears in the peer reviewed, open access *Journal of Aging Research*.

Patient willingness to be screened for dementia by phone was determined via a phone survey of older primary care patients. The 63 percent willingness rate was significant although lower than the 90 percent willingness rate of patients who were queried in face-to-face interviews as reported by IU Center for Aging Research and Regenstrief Institute researchers in a 2012 [study](#).

"Despite rising incidence rates of Alzheimer's and other dementias, many individuals with cognitive impairment are not screened. They go unrecognized and thus never receive evaluation or diagnosis," said IU Center for Aging Research and Regenstrief Institute investigator Nicole

Fowler, Ph.D., who led both studies. "Understanding patients' attitude about the risk and benefits of early identification of dementia is vital as we evaluate potential screening barriers and facilitators."

In 2013 the United States Preventive Services Task Force concluded that the evidence to routinely screen for dementia in [primary care](#) is insufficient due to a lack of studies evaluating the risks, benefits and patient perspectives of the value of dementia screening.

"Our study provides insight into what patients think about [dementia screening](#)," Dr. Fowler said. "In addition to informing policymakers and researchers, we should make community physicians and others outside the academic community more aware of both the benefits of informing [older adults](#) about screening options for dementia and the willingness of this group to undergo screening either in person or by telephone."

Telephone screening is less burdensome to the patient and possibly to the physician's office, she noted.

The 400 older adults in the study were patients of physicians affiliated with two large community health care systems. None of the [patients](#) had a [dementia diagnosis](#) and less than two percent reported being told by their physician that they suspected memory problems.

Dementia is an overall term for the wide range of symptoms associated with a decline in memory or other cognitive skills severe enough to reduce a person's ability to perform everyday activities. Alzheimer's disease, which is progressive, is the most common form of dementia.

Provided by Indiana University

Citation: Majority of older adults willing to be screened by telephone for dementia (2015, May

1) retrieved 18 April 2024 from

<https://medicalxpress.com/news/2015-05-majority-older-adults-screened-dementia.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.