

# MSF fighting cholera outbreak in Tanzania refugee camps

May 24 2015

---

Medical charity Medecins sans Frontieres (MSF, Doctors Without Borders) said Sunday it had launched emergency treatment centres in Tanzania, where thousands of Burundians fleeing unrest have been hit by cholera.

"The situation is critical," said Nanan Kassi N'Zeth, the MSF coordinator.

"The refugees are confronted with an impossible choice at the moment: to remain in Burundi and face insecurity or seek refuge in Tanzania and risk cholera."

The UN said some 3,000 cases of cholera have been reported in Tanzania, mainly among Burundian refugees, with up to 400 new cases counted daily.

So far, 31 people have died of the water-borne disease in the area around the western Tanzanian border town Kagunga, which has been flooded with refugees, according to the UN refugee agency.

All but two of those who have died were Burundian refugees, and most were children, it said.

MSF said it had set up, along with health authorities, cholera treatment centres in [refugee camps](#) in Kagunga and Kigoma.

In Kigoma, located on the shores of Lake Tanganyika near the frontier with Burundi, about 2,000 people had been crammed into a football stadium which was serving as a transit centre before they are sent to refugee camps, MSF said, adding that nearly 1,000 cases of diarrhoea had been reported here in the past week.

Another transit site in Kagunga—about four hours by boat from Kigoma—sheltered 15,000 refugees. Many [cholera](#) patients had died while being transported by boat for medical treatment in Kigoma, he added.

"The medical services here are extremely limited and receive 200 patients a day on average," said Kassi, adding that many refugees were forced to sleep in the open or construct their own makeshift shelters.

Poor sanitation, a lack of latrines and poor hygiene were exacerbating the situation, Kassi said.

MSF said it had sent a plane carrying medicines, equipment and extra teams to cope with the crisis.

Cholera is transmitted through contaminated drinking water, and UNHCR said overcrowding, unsanitary conditions as well as the consumption of water directly from the lake were believed to have sparked the outbreak.

The agency and its partners are struggling to move [refugees](#) from overcrowded Kagunga, situated on a narrow peninsula surrounded by a steep mountain range, to the western province of Kigoma.

Since early April, more than 100,000 people have fled to neighbouring countries—mainly to Tanzania—from Burundi due to political violence sparked by the country's president to seek a controversial third term.

© 2015 AFP

Citation: MSF fighting cholera outbreak in Tanzania refugee camps (2015, May 24) retrieved 25 April 2024 from

<https://medicalxpress.com/news/2015-05-msf-cholera-outbreak-tanzania-refugee.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.