

Larazotide acetate 0.5 mg found beneficial in celiac disease

June 8 2015



(HealthDay)—Larazotide acetate 0.5 mg is associated with improvement in symptoms of celiac disease (CeD), according to a study published in the June issue of *Gastroenterology*.

Daniel A. Leffler, Ph.D., from Beth Israel Deaconess Medical Center in Boston, and colleagues conducted a multicenter, randomized trial assessing larazotide acetate 0.5, 1, or 2 mg three times daily to relieve symptoms of CeD. Three hundred forty-two adults with CeD who had been on a gluten-free diet for 12 months or longer were included in the study. The difference in average on-treatment Celiac Disease Gastrointestinal Symptom Rating Scale score was assessed as the primary end point.

The researchers found that the primary end point was met with the 0.5-mg dose of larazotide acetate, with fewer symptoms versus placebo



in modified intent-to-treat analysis (340 patients). The 0.5-mg dose affected exploratory end points such as a decrease in CeD patient-reported outcome symptomatic days (26 percent decrease; P = 0.017); increase in improved symptom days (31 percent increase; P = 0.034); 50 percent or greater reduction from baseline of the weekly average abdominal pain score for six or more of 12 weeks of treatment (P = 0.022); and reduction in nongastrointestinal symptoms of headache and tiredness (P = 0.010). No differences were seen for 1- and 2-mg doses versus placebo.

"Larazotide acetate 0.5 mg reduced signs and symptoms in CeD patients on a gluten-free diet better than a gluten-free diet alone," the authors write.

Several authors disclosed financial ties to pharmaceutical and biotechnology companies, including Alba Therapeutics Corporation and Cephalon/Teva, both of which provided funding for the study.

More information: Abstract

Full Text

Copyright © 2015 HealthDay. All rights reserved.

Citation: Larazotide acetate 0.5 mg found beneficial in celiac disease (2015, June 8) retrieved 5 May 2024 from https://medicalxpress.com/news/2015-06-larazotide-acetate-mg-beneficial-celiac.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.