

How newspapers represent men's eating disorders

June 29 2015



Public health researchers at the University of Glasgow have carried out the first detailed studies of how newspaper articles represent eating disorders in men.

Academic research estimates that around a quarter of <u>eating disorder</u> sufferers are men, but men only account for about one-in-ten of those with an eating disorder diagnosis. This means many men with eating disorder symptoms are not diagnosed or treated. This is important, since



eating disorders can prove fatal if not treated early.

A potential reason for under-diagnosis in men is that eating disorders are perceived as 'female illnesses', meaning male sufferers themselves, and others, including health professionals, are slow to recognise their patterns of behaviours as an eating disorder.

The University of Glasgow research team, whose work was funded by the UK Medical Research Council, hypothesised that one factor contributing to the idea that eating disorders are 'female illnesses' could be the <u>mass media</u>, including newspapers, since they are an important source of health information.

Using a systematic approach, the team identified and analysed 138 articles which appeared across a range of UK newspapers between December 2002 and December 2012. The number of articles on eating disorders in men peaked in 2008 when former Deputy Prime Minister, John Prescott, then aged 70, reported having suffered from bulimia nervosa in middle age.

The researchers found that although articles ostensibly sought to dispel stereotypes that eating disorders were mainly a teenage girls' illness, they nevertheless conveyed a mixed message – that men were, and should be, ashamed to admit they had a (young) woman's illness.

As a consequence, men might feel shame and delay seeking treatment for their illness, they warned.

In an article published by *BMJ Open*, "'It's not healthy and it's decidedly not masculine': a media analysis of UK newspaper representations of eating disorders in males", the team argues that key messages in articles were often "riven with ambiguity".



Although many articles highlighted the need for increased awareness that men can develop eating disorders, they often went on to subtly contradict this by suggesting that: eating disorders usually affect <u>teenage girls</u>; "less masculine" men are at greater risk; men find eating disorders "shameful"; and professionals do not recognise eating disorders in men.

"Most articles communicated competing messages, raising awareness that males can get EDs but also reinforcing underlying messages that EDs are a 'female illness'," said Dr Helen Sweeting.

The research paper warns that newspaper articles have tended to frame a cultural paradigm in which "there is an expectation that men may feel discomfort, even shame, about having an eating disorder and so may strive to conceal it".

Dr Sweeting added: "This might cause men with eating disorders to delay seeking help, meaning less chance of a good treatment outcome, even when they do recognise their symptoms."

Among the newspaper quotes highlighted by the researchers were:

- "No one expects a man, especially a successful one, to have an eating disorder. It seems such a weakness";
- "Many men are too ashamed to admit they suffer from a disease usually associated with women [...] having anorexia as a boy makes you seem weak";
- "Admitting to eating disorders isn't macho".
- "Young <u>men</u> who starve themselves look effeminate. It's not healthy and it's decidedly not masculine"
- "Doctors, just like anyone else, tend to see eating disorders as a woman's illness"
- "Society seemed to view my illness as inherently feminine".



In a separate paper, published in the International Journal of Men's Health, entitled "Prevalence of Eating Disorders in Males: A Review of Rates Reported in Academic Research and UK Mass Media", the researchers highlight the often conflicting statistics available on eating disorders. For example, the current (June 2015) Wikipedia entry suggests eating disorders affect "an estimated 5–10 million" UK females and "an estimated 1 million UK males" (this is about 17%-33% of the UK female population, and 3% of the male population). Academic research suggests an overall adult lifetime rate of around 3-4%.

The research team traced how newspapers presented eating disorder statistics over time and found that by 2011 they were much more consistent, often drawing on the Beat website: <u>disorders</u>" target="_blank">www.b-eat.co.uk/about-eating-<u>disorders</u>.

The findings had a number of implications, said the team, including: the need for researchers and clinicians to collaborate with producers of health information in the media to maximise public understandings based on available evidence; and that focusing on the most highly visible health and charity websites may be the most efficient way to do this.

More information: ""It's not healthy and it's decidedly not masculine": a media analysis of UK newspaper representations of eating disorders in males." *BMJ Open* 2015;5:5 e007468 <u>DOI:</u> <u>10.1136/bmjopen-2014-007468</u>

"Prevalence of Eating Disorders in Males: A Review of Rates Reported in Academic Research and UK Mass Media." DOI: <u>dx.doi.org/10.3149/jmh.1402.86</u>

Provided by University of Glasgow



Citation: How newspapers represent men's eating disorders (2015, June 29) retrieved 5 May 2024 from <u>https://medicalxpress.com/news/2015-06-newspapers-men-disorders.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.