

## **Redrawing the brain's motor map**

June 16 2015



Black indicates neck area of motor cortex identified by Penfield + Rasmussen in 1950. Red indicates neck area identified by other studies, including Prudente et al 2015. Credit: *Journal of Neuroscience* 

Neuroscientists at Emory have refined a map showing which parts of the



brain are activated during head rotation, resolving a decades-old puzzle. Their findings may help in the study of movement disorders affecting the head and neck, such as cervical dystonia and head tremor.

The results are scheduled for publication in *Journal of Neuroscience* on Tuesday, June 16.

In landmark experiments published in the 1940s and 50s, Canadian neurosurgeon Wilder Penfield and colleagues determined which parts of the <u>motor cortex</u> controlled the movements of which parts of the body.

Penfield stimulated the <u>brain</u> with electricity in patients undergoing epilepsy surgery, and used the results to draw a "motor homunculus": a distorted representation of the human body within the brain. Penfield assigned control of the <u>neck muscles</u> to a region between those that control the fingers and face, a finding inconsistent with some studies that came later.

Using modern functional MRI (magnetic resonance imaging), researchers at Emory University School of Medicine have shown that the neck's motor control region in the brain is actually between the shoulders and trunk, a location that more closely matches the arrangement of the body itself.

"We can't be that hard on Penfield, because the number of cases where he was able to study <u>head movement</u> was quite limited, and studying <u>head</u> motion as he did, by applying an electrode directly to the brain, creates some challenges," says lead author Buz Jinnah, MD, professor of neurology, human genetics and pediatrics at Emory University School of Medicine.

The new location for the neck muscles makes more sense, because it corresponds to a similar map Penfield established of the sense of touch



(the somatosensory cortex), Jinnah says.

Participants in brain imaging studies need to keep their heads still to provide accurate data, so volunteers were asked to perform isometric muscle contraction. They attempted to rotate their heads to the left or the right, even though head movement was restricted by foam padding and restraining straps.

First author Cecilia Prudente, a graduate student in neuroscience who is now a postdoctoral associate at the University of Minnesota, developed the isometric head movement task and obtained internal funding that allowed the study to proceed.

She and Jinnah knew that isometric exercises for the wrist activated the same regions of the motor cortex as wrist movements, and used that as a reference point in their study. During brain imaging, they were able to check that particular muscles were being tensed by directly monitoring volunteers' muscles electronically.

When volunteers contracted their neck muscles, researchers were able to detect activation in other <u>parts of the brain</u> too, such as the cerebellum and the basal ganglia, which are known to be involved in movement control. This comes as no surprise, Jinnah says, since these regions also control movements of the hands and other body parts.

Prudente, Jinnah and colleagues have conducted a similar study with <u>cervical dystonia</u> patients, with the goal of comparing the patterns of brain activation between healthy volunteers and the patients. Cervical dystonia is a painful condition in which the neck muscles contract involuntarily and the head posture is distorted.

"These results may help guide future studies in humans and animals, as well as medical or surgical interventions for cervical dystonia and other



## disorders involving abnormal head movements," Prudente says.

## Provided by Emory University

Citation: Redrawing the brain's motor map (2015, June 16) retrieved 5 May 2024 from <u>https://medicalxpress.com/news/2015-06-redrawing-brain-motor.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.