


Speech recognition from brain activity

June 16 2015



Brain activity recorded by electrocorticography (blue circles). From the activity patterns (blue/yellow), spoken words can be recognized. Credit: CSL/KIT

Speech is produced in the human cerebral cortex. Brain waves associated with speech processes can be directly recorded with electrodes located on the surface of the cortex. It has now been shown for the first time that is possible to reconstruct basic units, words, and complete sentences of continuous speech from these brain waves and to generate the corresponding text. Researchers at KIT and Wadsworth Center, USA present their "Brain-to-Text" system in the scientific journal *Frontiers in Neuroscience*.

"It has long been speculated whether humans may communicate with machines via [brain](#) activity alone," says Tanja Schultz, who conducted the present study with her team at the Cognitive Systems Lab of KIT.

"As a major step in this direction, our recent results indicate that both single units in terms of [speech sounds](#) as well as continuously spoken sentences can be recognized from brain activity."

These results were obtained by an interdisciplinary collaboration of researchers of informatics, neuroscience, and medicine. In Karlsruhe, the methods for signal processing and [automatic speech recognition](#) have been developed and applied. "In addition to the decoding of [speech](#) from brain activity, our models allow for a detailed analysis of the brain areas involved in speech processes and their interaction," outline Christian Herff und Dominic Heger, who developed the Brain-to-Text system within their doctoral studies.

The present work is the first that decodes continuously spoken speech and transforms it into a textual representation. For this purpose, cortical information is combined with linguistic knowledge and machine learning algorithms to extract the most likely word sequence. Currently, Brain-to-Text is based on audible speech. However, the results are an important first step for recognizing speech from thought alone.

The [brain activity](#) was recorded in the USA from 7 epileptic patients, who participated voluntarily in the study during their clinical treatments. An electrode array was placed on the surface of the cerebral cortex (electrocorticography (ECoG)) for their neurological treatment. While patients read aloud sample texts, the ECoG signals were recorded with high resolution in time and space. Later on, the researchers in Karlsruhe analyzed the data to develop Brain-to-Text. In addition to basic science and a better understanding of the highly complex speech processes in the brain, Brain-to-Text might be a building block to develop a means of speech communication for locked-in patients in the future.

More information: "Brain-to-text: decoding spoken phrases from phone representations in the brain." *Front. Neurosci.* 9:217. [DOI:](#)

[10.3389/fnins.2015.00217](https://doi.org/10.3389/fnins.2015.00217)

Provided by Karlsruhe Institute of Technology

Citation: Speech recognition from brain activity (2015, June 16) retrieved 28 April 2024 from <https://medicalxpress.com/news/2015-06-speech-recognition-brain.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.