

# **Tart cherry juice reduced post-race respiratory tract symptoms after a marathon**

June 25 2015

---



Credit: Cherry Marketing Institute

While previous research suggests tart cherry juice may help aid muscle recovery after extensive exercise, a new pilot study published in the *Journal of the International Society of Sports Nutrition* found that Montmorency tart cherry juice reduced upper respiratory tract symptoms associated with marathon running in study participants. Post-race sniffles are a common problem among endurance athletes.

The U.K. research team, led by Glyn Howatson at Northumbria University and Lygeri Dimitriou at Middlesex University, found that marathon runners who consumed the tart cherry juice had lower markers for inflammation than a placebo group at 24 and 48 hours post-marathon, and had no reported incidences of upper [respiratory tract](#) symptoms (URTS) up to 48 hours after the race. For the runners who did not drink the tart cherry juice, 50 percent suffered from URTS.

"Many athletes can suffer from colds and sore throats following strenuous bouts of exercise, like marathon running and triathlons. This is the first study to provide encouraging evidence of the potential role of Montmorency tart cherries in reducing symptoms associated with the development of exercise-induced respiratory problems," said Howatson, who has conducted previous studies on tart cherry juice and exercise recovery. "We should be looking at all the potential ways we can help athletes recover from [strenuous exercise](#), and protection of the respiratory system is another dimension."

## Research Methodology

For this study, 20 recreational Marathon runners consumed two servings of either a placebo drink or a blend of Montmorency tart cherry juice combined with apple juice twice a day (morning and afternoon) for eight consecutive days—five days leading up to a marathon, on the day of the race and two days afterwards. Each 236 ml serving (about 8-ounces) contained the equivalent of 50-60 whole Montmorency tart cherries and at least 40 mg anthocyanins. Montmorency tart cherries are the most common variety of [tart cherries](#) grown in the U.S., and are available year-round in dried, frozen and juice forms.

Markers of stress, inflammation, mucosal immunity and [upper respiratory tract](#) symptoms were measured on four occasions: the day before the marathon, immediately after, and at 24 hours and 48 hours post-marathon. C-reactive protein, a marker for inflammation was significantly elevated in both groups, but its response at 24 and 48 hours following the marathon was blunted in the cherry juice group compared to the placebo. This is consistent with previous studies that examined the impact of cherry juice on post-exercise inflammation indices in [marathon runners](#) and cyclists.<sup>2,3,4</sup> All participants refrained from nutritional supplements, pharmacological interventions and strenuous exercise (other than completing marathon training runs) for the duration of the study.

The authors conclude that the results of this pilot study offer an important new opportunity for research, building on the existing body of evidence providing support for the use of Montmorency tart [cherry juice](#) in exercise recovery. They suggest future work should examine the prevalence of URTS beyond 48 hours post-[marathon](#).

**More information:** 1 Dimitriou L, Hill JA, Jehnali A, Dunbar J, Brouner J, McHugh MP, Howatson G. Influence of a Montmorency cherry juice blend on indices of exercise-induced stress and upper respiratory tract symptoms following marathon running—a pilot

investigation. *Journal of the International Society of Sports Nutrition*. 2015; 12:22 [DOI: 10.1186/s12970-015-0085-8](https://doi.org/10.1186/s12970-015-0085-8).

2 Bell PG, Walshe IH, Davison GW, Stevenson E, Howatson G. Montmorency cherries reduce the oxidative stress and inflammatory responses to repeated days high-intensity stochastic cycling. *Nutrients*. 2014; 6: 829-843.

3 Howatson G, McHugh M, Hill J, Brouner J, Jewell A, Van Someren KA, Shave RE, Howatson SA. Influence of tart cherry juice on indices of recovery following marathon running. *Scandinavian Journal of Medicine and Science in Sports*. 2010; 20:843-52.

4 Bell PG, Walshe IH, Davison GW, Stevenson EJ, Howatson G. Recovery facilitation with Montmorency cherries following high-intensity, metabolically challenging exercise. *Applied Physiology, Nutrition and Metabolism*. 2015; 40:414-423.

Provided by Weber Shandwick Worldwide

Citation: Tart cherry juice reduced post-race respiratory tract symptoms after a marathon (2015, June 25) retrieved 20 April 2024 from <https://medicalxpress.com/news/2015-06-tart-cherry-juice-post-race-respiratory.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.