


Venous thromboembolism rates low after colorectal surgery

June 11 2015



(HealthDay)—For patients undergoing colorectal surgery, venous thromboembolism (VTE) rates are generally low, according to a study published online June 10 in *JAMA Surgery*.

Daniel W. Nelson, D.O., from the Madigan Army Medical Center in Fort Lewis, Wash., and colleagues describe the incidence of and risk factors associated with <u>thromboembolic complications</u> and contemporary VTE prophylaxis patterns following colorectal <u>surgery</u>. Data were included for 16,120 patients (mean age, 61.4 years) who underwent colorectal surgery at 52 Washington State Surgical Care and Outcomes Assessment Program hospitals from 2006 through 2011.

The researchers found that by 2011 there was a significant increase in perioperative and in-hospital VTE chemoprophylaxis (from 31.6 to 86.4



percent and from 59.6 to 91.4 percent, respectively; both P patients undergoing abdominal operations versus pelvic operations (2.5 versus 1.8 percent; P = 0.001). The incidence of VTE was similar for those having an operation for cancer versus those having an operation for nonmalignant processes (2.1 versus 2.3 percent; P = 0.24). The risk of 90-day VTE was increased with older age, nonelective surgery, history of VTE, and <u>operations</u> for inflammatory disease (all P

"Venous thromboembolism rates are low and largely unchanged despite increases in perioperative and postoperative prophylaxis," the authors write. "These data should be considered in developing future guidelines."

More information: <u>Abstract</u> <u>Full Text</u> <u>Editorial (subscription or payment may be required)</u>

Copyright © 2015 <u>HealthDay</u>. All rights reserved.

Citation: Venous thromboembolism rates low after colorectal surgery (2015, June 11) retrieved 4 May 2024 from <u>https://medicalxpress.com/news/2015-06-venous-thromboembolism-colorectal-surgery.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.