

Cannabis psychosis, gender matters

July 22 2015



There has been much research exploring the nature of the relationship between cannabis and psychosis, however the role of gender in relation to cannabis psychosis is less well explored and understood.

Department of Health Sciences' researchers Ian Hamilton, Paul Galdas and Holly Essex used large datasets over a period of 11 years to investigate the differences in men and women as they progress from exposure to cannabis through to developing cannabis psychosis.

Cannabis is the most widely used [illicit drug](#) in the United Kingdom. Trends in cannabis use suggest that twice as many males as females use the drug. This gender ratio is mirrored in rates of psychosis with males outnumbering females by 2:1. However there is a significant widening of this ratio for cannabis psychosis, where males outnumber females by

four to one.

"The marked gender difference in rates of cannabis psychosis is puzzling," said Ian. "It is possible that mental health and specialist [drug](#) treatment services, which have a disproportionate number of men, are identifying and treating more males with combined [mental health](#) and cannabis problems.

"However it is also possible that women with cannabis psychosis are not being identified and offered treatment for the problems they develop.

"When it comes to cannabis [psychosis](#) gender does matter."

More information: *Advances in Dual Diagnosis* Volume 8, Issue 3
[www.emeraldinsight.com/doi/abs ... 108/ADD-12-2014-0039](http://www.emeraldinsight.com/doi/abs/.../108/ADD-12-2014-0039)

Provided by University of York

Citation: Cannabis psychosis, gender matters (2015, July 22) retrieved 4 May 2024 from
<https://medicalxpress.com/news/2015-07-cannabis-psychosis-gender.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
