


Fish oil-diet benefits may be mediated by gut microbes

August 27 2015



Caesar et al. reveal how saturated lipids in lard affect gut microbial composition to promote obesity and WAT inflammation via TLR signaling and CCL2; in contrast, mice fed a fish-oil diet enriched in polyunsaturated fatty acids are protected. Transfer of microbiota from fish-oil-fed mice dampens lard-induced inflammation. Credit: Caesar et al./*Cell Metabolism* 2015

Diets rich in fish oil versus diets rich in lard (e.g., bacon) produce very different bacteria in the guts of mice, reports a study published August 27 in *Cell Metabolism*. The researchers transferred these microbes into other mice to see how they affected health. The results suggest that gut bacteria share some of the responsibility for the beneficial effects of fish oil and the harmful effects of lard.

In particular, [mice](#) that received transplants of [gut microbes](#) associated with a fish oil diet were protected against diet-induced weight gain and inflammation compared with mice transplanted with gut microbes associated with a lard diet. This demonstrates that gut microbes are an independent factor aggravating inflammation associated with diet-induced obesity and gives hope that a probiotic might help counteract a "greasy" diet.

"We wanted to determine whether gut microbes directly contribute to the metabolic differences associated with diets rich in healthy and unhealthy fats," says first study author Robert Caesar of the University of Gothenburg. Even though the study was done in mice, "our goal is to identify interventions for optimizing metabolic [health](#) in humans."

Caesar, working in the lab of senior study author Fredrik Bäckhed, began by feeding either lard or fish oil to mice for 11 weeks and monitoring signs of metabolic health. While the consumption of lard promoted the growth of [bacteria](#) called *Bilophila*, which have been

linked to gut inflammation, the fish oil diet increased the abundance of bacteria called *Akkermansia muciniphila*, known to reduce [weight gain](#) and improve glucose metabolism in mice.

"We were surprised that the lard and the fish oil diet, despite having the same energy content and the same amount of dietary fiber—which is the primary energy source for the [gut bacteria](#)—resulted in fundamentally different gut microbiota communities and that the microbiota per se had such large effects on health," Caesar says.

In the next set of experiments, Caesar conducted "fecal transplants" to test whether [fish oil](#)-diet microbes could improve the health of mice fed only lard and vice versa. The results provide additional evidence that gut microbe communities can both determine and recover health problems caused by poor diet.

"Our paper supports previous reports indicating the bacteria *Akkermansia muciniphila* is a promoter of a healthy phenotype," Bäckhed says. "However, further investigations will be needed to determine if this bacteria can be used as probiotic strain and, in that case, how it should be combined with diet to optimize health outcomes."

More information: *Cell Metabolism*, Caesar et al.: "Crosstalk between Gut Microbiota and Dietary Lipids Aggravates WAT Inflammation through TLR Signaling" [dx.doi.org/10.1016/j.cmet.2015.07.026](https://doi.org/10.1016/j.cmet.2015.07.026)

Provided by Cell Press

Citation: Fish oil-diet benefits may be mediated by gut microbes (2015, August 27) retrieved 23 April 2024 from <https://medicalxpress.com/news/2015-08-fish-oil-diet-benefits-gut-microbes.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.