

Young adults believe hookah, e-cigs are safer than cigarettes, study shows

August 24 2015

Table 2. Percentage and Adjusted Odds Ratio of Believing Various Tobacco Products Are "Less Risky" Than Cigarettes, Among All Respondents (n = 2,871).

Respondent demographics	E-cigarettes		Hookah		Smokeless tobacco ^a		Snus		Menthol cigarettes		Cigars	
	% [95% CI]*	AOR [95% CI] ^b	% [95% CI]	AOR [95% CI]	% [95% CI]	AOR [95% CI]	% [95% CI]	AOR [95% CI]	% [95% CI]	AOR [95% CI]	% [95% CI]	AOR [95% CI]
Gender												
Male	65.2 [61.7, 68.7]	1.84 [1.5, 2.3]	27.5 [24.4, 30.7]	1.4 [1.1, 1.8]	9.7 [7.7, 11.7]	2.1 [1.4, 3.3]	13.5 [11.2, 15.9]	2 [1.4, 3.0]	2.4 [1.4, 3.4]	0.6 [0.2, 2.2]	17.2 [14.6, 19.9]	1.8 [1.3, 2.4]
Female	50.4 [46.6, 54.2]	Reference	21.4 [18.5, 24.4]	Reference	4.6 [3.1, 6.1]	Reference	6.5 [4.6, 8.4]	Reference	2.6 [1.7, 3.6]	Reference	10.6 [8.6, 12.7]	Reference
	1000. > q	1000. > q	p = .0055	p = .0105	1000. > q	2000. = q	1000. > q	p = .0002	p = 0.7495	p = .4585	1000. > q	p = .0002
Race/ethnicity			25.0		7.0							
White ^b	62.2 [58.9, 65.5]	Reference	25.0 [22.2, 27.7]	Reference	7.8 [6.1, 9.5]	Reference	10.8 [8.8, 12.8]	Reference	1.8 [1.1, 2.5]	Reference	17.4 [15.0, 19.8]	Reference
Black	46.3 [39.0, 53.7]	0.62	21.8 [15.8, 27.8]	0.9 [0.6, 1.3]	7.0 [3.3, 10.6]	1.1 [0.6, 2.1]	8.0 [3.7, 12.3]	0.9	3.8 [1.5, 6.1]	3.2 [0.8, 12.7]	5.4 [2.5, 8.3]	0.3
Hispanic	54.2	0.78	23.1	0.8	5.6	0.8	9.0	0.9	3.3	0.5	6.9	0.4
	[46.9, 61.5]		[17.2, 28.9]	[0.6, 1.2]	[2.7, 8.5]	[0.4, 1.4]	[5.3, 12.7]	[0.5, 1.4]	[1.0, 5.6]	[0.1, 3.1]	[3.9, 10.0]	[0.2, 0.6]
Asian ^b	48.1	0.52	30.4	1.1	6.8	0.7	9.2	0.8	3.2	1.9	15.5	0.8
	[38.3, 57.9]	[0.3, 0.8]	[21.4, 39.3]	[0.7, 1.8]	[2.3, 11.4]	[0.4, 1.3]	[4.1, 14.3]	[0.4, 1.4]	[0.5, 5.8]	[0.2, 16.8]	[7.3, 23.8]	[0.4, 1.5]
Other ^b	63.1	0.97	22.5	0.8	6.2	0.7	9.7	0.8	2.1	2.6	18.4	1.1
	[54.2, 72.0]	[0.6, 1.5]	[15.1, 29.8]	[0.5, 1.2]	[2.0, 10.5]	[0.3, 1.7]	[4.5, 15.0]	[0.4, 1.6]	[0.1, 4.1]	[0.5, 13.4]		[0.7, 1.7]
	1000. > q	p = .0049	p = .3372	p = .6336	p = .7747	p = .6515	p = .7590	þ = .8923	p = .2303	p = .3494	1000. > q	1000. > q
Age-group, yea												
18-24	62.1 [58.6, 65.7]	1.57 [1.3, 2.0]	32.7 [29.3, 36.1]	2.0 [1.6, 2.6]	7.4 [5.7, 9.2]	[0.7, 1.5]	11.0 [8.8, 13.2]	1.2 [0.8, 1.7]	4.3 [2.9, 5.8]	9.1 [2.3, 36.6]	15.2 [12.7, 17.6]	1.3 [1.0, 1.7]
25-34	54.6 [50.9, 58.4]	Reference	18.5 [15.9, 21.1]	Reference	6.9 [5.2, 8.6]	Reference	9.3 [7.2, 11.3]	Reference	1.2 [0.7, 1.8]	Reference	13 [10.7, 15.3]	Reference
	p < .0043	p < 0.0001	1000. > ¢	1000. > q	p = .6841	1888. = q	p = .2636	þ = .3569	1000. > q	p = .0019	p = .2052	p = .0900
Education												
≤HS	54 [49.4, 58.5]	Reference	20.9 [17.5, 24.2]	Reference	7.1 [5.1, 9.2]	Reference	11.5 [8.7, 14.2]	Reference	2.8 [1.6, 4.1]	0.8 [0.2, 3.3]	10.1 [7.7, 12.5]	Reference
>HS	60.3	1.54	26.6	1.5	7.0	1.1	8.9	0.9	2.2	Reference	16.2	1.6
	[57.0, 63.5] b = .0247	[1.2, 2.0] b = .0004	[23.8, 29.4] $b = .0120$	[1.1, 2.0] $p = .0056$	[5.4, 8.5] b = .9201	[0.7, 1.7] p = .6368	[7.1, 10.6] $p = .1012$	[0.6, 1.3] b = .4578	[1.4, 3.0] b = .3897	b = .7518	[13.9, 18.5] b = .0006	[1.1, 2.2] b = .0089
Smoking status		p = .0004	p = .0120	p = .0030	p = .7201	p = .0300	p = .1012	p = .4570	p = .3077	p = .7510	p = .0000	p = .0007
Current	68.9	1.86	25.2	1.1	8.2	1	13.8	1.4	1.5	0.5	12.6	0.9
	[63.6, 74.2]	[1.4, 2.5]	[20.4, 30.0]	[0.8, 1.5]	[5.4, 11.0]	[0.6, 1.7]	[10.3, 17.4]		[0.5, 2.5]	[0.1, 2.9]	[9.2, 16.1]	[0.6, 1.3]
Former	62	1.46	18.0	0.7	8.5	1.2	10.9	1.3	0.8	0.4	13.6	0.8
	[54.0, 70.0]	[1.0, 2.1]	[12.2, 23.8]	[0.5, 1.2]	[4.2, 12.7]	[0.6, 2.3]	[5.9, 15.9]	[0.7, 2.4]	[0.0, 1.7]	[0.1, 2.8]	[8.1, 19.1]	[0.5, 1.4]
Never	53	Reference	25.3	Reference	6.5	Reference	8.5	Reference	3.2	Reference	14.5	Reference
	[49.8, 56.2]		[22.7, 28.0]		[5.1, 8.0]		[6.8, 10.2]		[2.2, 4.2]		[12.4, 16.5]	
	1000. > ¢	p = .0003	p = .1270	p = .3269	p = .4586	p = .8815	p = .0172	p = .1925	1800. = q	p = .6443	p = .6992	þ = .6493
Product use ^c												
Yes	77.3	1.75	57.3	3.5	25.9	4	37.5	4	1.5	0.5	17	1.2
Na	[70.9, 83.6]	[1.1, 2.7]	[46.1, 68.5]	[2.1, 5.9]	[14.1, 37.7]	[1.9, 8.4]	[24.8, 50.1]		[0.2, 2.8]	[0.2, 1.6]	[10.5, 23.5]	[0.7, 2.1]
No	55.6 [52.8, 58.4]	Reference	22.5 [20.4, 24.6]	Reference	6.4 [5.2, 7.6]	Reference	9.0 [7.5, 10.4]	Reference	1.5 [0.4, 2.6]	Reference	13.6 [11.9, 15.4]	Reference
	b < .0001	b = .0121	b < .0001	1000. > ¢	[5.2, 7.6] b < .0001	b = 0.0003	p < .0001	b < 0001	p = .9617	b = .2462	b = .2908	b = .4702
Total	57.8	p = 30121	24.5	p ~ .0001	7.1	p = 0.0003	10.0	p < .0001	2.5	p2402	μ = .2700 13.9	p4702
	[55.1, 60.4]		[22.3, 26.6]		[5.9, 8.4]		[8.5, 11.5]		[1.8, 3.2]		[12.2, 15.6]	

Note. AOR = adjusted odds ratio; CL = confidence interval; HS = high school. Prevalence p values are for Rao-Scott chi-square test of covariate by binomial risk perception; AOR p values are Wald chi-square Type 3 analysis of effects.
*Excluding snus. *Non-Hispanic. *Adjusted for ever (e-cigarettes) or current (hookah, smokeless tobacco/snus, menthol cigarettes, and cigars) use of the product being modeled.



AOR = adjusted odds ratio; CL = confidence interval; HS = high school. Prevalence p values are for Rao-Scott chi-square test of covariate by binomial risk perception; AORp values are Wald chi-square Type 3 analysis of effects.aExcluding snus. bNon-Hispanic. cAdjusted for ever (e-cigarettes) or current (hookah, smokeless tobacco/snus, menthol cigarettes, and cigars) use of the product being modeled. Credit: Olivia A. Wackowski, PhD, MPH, and Cristine D. Delnevo, PhD, MPH

Many college students are making their way back to campus this month, and back to the habits - good or bad - that dorm-life promotes. A new study finds that young adults under 25, including high school grads and college students, are more likely to rate hookah and e-cigarettes as safer than cigarettes, when compared to 25 to 34-year-olds. This research was published today in *Health Education & Behavior*, a Society of Public Health Education journal published by SAGE.

Studying data from 2,871 smoking and nonsmoking young adults, ages 18-34, Dr. Olivia A. Wackowski and Dr. Cristine D. Delnevo found that a quarter of young adults believed hookah to be less risky than <u>cigarettes</u> - a belief shared by current cigarette smokers and those who had never smoked cigarettes before.

"This is concerning as it suggests that even a substantial proportion of nonsmokers may view hookah as being a relatively safer and acceptable way to use tobacco," the researchers wrote.

The researchers also found the following:

• 62.1% of young adults ages 18 to 24 believed that <u>e-cigarettes</u> were less risky than cigarettes, while 54.6% of 25 to 34-year-olds believed e-cigarettes to be less risky. Additionally, 32.7% of 18



to 24-year-olds believed hookah to be less risky than cigarettes, while 18.5% of 25 to 34-year-olds believed hookah to be less risky.

- 57.8% of respondents believed e-cigarettes to be less risky than cigarettes and 11.4% said they were unsure.
- 50% of respondents said that methanol cigarettes, hookah, cigars, smokeless tobacco, and snus were about as risky as cigarettes.
- 30% of all respondents believed that smokeless tobacco, <u>menthol</u> <u>cigarettes</u>, and cigars were more risky than cigarettes.
- 24.5% of respondents reported that <u>hookah</u> is less risky than cigarettes, which was equally prevalent for both cigarette smokers and nonsmokers.
- 31.2% of respondents reported that they had smoked at least 100 cigarettes before and smoked regularly at the time of the survey.

"This might be associated with differences in advertising messages these groups are exposed to, the variety of flavors these different products are offered in, and in the case of e-cigarettes, possibly an inclination for younger people to attribute more positive feelings toward newer products that are seen as new and 'techy'," commented the study authors.

The study authors also found that the belief that some tobacco products were riskier than cigarettes did not stop people from using them. They speculated that promoting other tobacco products, such as snus, as safer may not encourage smokers to switch products but instead encourage new product uptake for both smokers and nonsmokers.

More information: "Young Adults' Risk Perceptions of Various Tobacco Products Relative to Cigarettes: Results From the National Young Adult Health Survey" *Health Education & Behavior*, 2015.



Provided by SAGE Publications

Citation: Young adults believe hookah, e-cigs are safer than cigarettes, study shows (2015, August 24) retrieved 9 April 2024 from https://medicalxpress.com/news/2015-08-young-adults-hookah-e-cigs-safer.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.