

Acupuncture improves gait function in Parkinson's disease

October 30 2015



(HealthDay)—For patients with Parkinson's disease (PD), acupuncture is associated with improvement in gait function, according to a study published in the October issue of the *Journal of the American Geriatrics Society*.

Shimpei Fukuda, Ph.D., from the Meiji University of Integrative Medicine in Kyoto, Japan, and colleagues examined the immediate effects of [acupuncture](#) on [gait](#) function in 27 outpatients with PD. The acupuncture points used were bilateral legs, bilateral arms, posterior region of neck, and back. Acupuncture needles were inserted perpendicular to the skin surface to a depth of 10 mm. A portable gait rhythmogram was used to measure gait function.

The researchers observed significant increases in gait speed, step length,

floor reaction force (all P

"Acupuncture can be a safe way to decrease gait disturbances," the authors write. "Further studies on a set period of acupuncture treatment, as well as controlled comparative studies to exclude the placebo effect, are needed."

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2015 [HealthDay](#). All rights reserved.

Citation: Acupuncture improves gait function in Parkinson's disease (2015, October 30) retrieved 1 May 2024 from
<https://medicalxpress.com/news/2015-10-acupuncture-gait-function-parkinson-disease.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--