


Drug cuts mortality rate after stroke, trial finds

October 12 2015, by Bill Hathaway



Micrograph showing cortical pseudolaminar necrosis, a finding seen in strokes on medical imaging and at autopsy. H&E-LFB stain. Credit: Nephron/Wikipedia

An existing drug administered intravenously reduces the chances of dying from major stroke by 60%, according to results of a phase II trial announced Oct. 9 at the annual Neurocritical Care Society meeting in Scottsdale, Arizona.

"We've never seen a [drug](#) have that kind of impact on stroke mortality," said Yale neurologist Kevin Sheth, co-principal investigator of the randomized, double-blinded, placebo-control trial conducted at 18 sites nationally.

About 10% to 15% of the 800,000 Americans who suffer strokes annually suffer from large, ischemic strokes, in which blood clots develop dangerous levels of swelling in the brain. About half of these patients end up dying.

The trial assessed impact of a reformulated version of the drug glyburide, which has been used to treat diabetes for decades. The intravenous drug Cirara is delivered in a three-stage dosing regimen designed to target swelling following a central nervous system injury.

Brain swelling was reduced by 50% in patients who took the study drug, based on the most commonly accepted measure of swelling following a [stroke](#). The frequency of emergency decompressive craniectomies—surgical procedures in which part of the skull is removed to reduce internal pressure from [swelling](#) common to large, ischemic strokes—was not reduced among those given Cirara. However, mortality was reduced in subjects receiving the drug whether they underwent the procedure or not.

Remedy Pharmaceuticals, which makes Cirara, sponsored the trial.

Sheth has no financial ties to Remedy.

Provided by Yale University

Citation: Drug cuts mortality rate after stroke, trial finds (2015, October 12) retrieved 25 April 2024 from <https://medicalxpress.com/news/2015-10-drug-mortality-trial.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.