

Fracking industry wells associated with premature birth

October 8 2015

Expectant mothers who live near active natural gas wells operated by the fracking industry in Pennsylvania are at an increased risk of giving birth prematurely and for having high-risk pregnancies, new Johns Hopkins Bloomberg School of Public Health research suggests.

The findings, published online last week in the journal *Epidemiology*, shed light on some of the possible adverse [health](#) outcomes associated with the fracking industry, which has been booming in the decade since the first [wells](#) were drilled. Health officials have been concerned about the effect of this type of drilling on air and water quality, as well as the stress of living near a well where just developing the site of the well can require 1,000 truck trips on once-quiet roads.

"The growth in the fracking industry has gotten way out ahead of our ability to assess what the environmental and, just as importantly, public health impacts are," says study leader Brian S. Schwartz, MD, a professor in the Department of Environmental Health Sciences at the Bloomberg School. "More than 8,000 unconventional gas wells have been drilled in Pennsylvania alone and we're allowing this while knowing almost nothing about what it can do to health. Our research adds evidence to the very few studies that have been done in showing adverse health outcomes associated with the fracking industry."

In Pennsylvania in 2006, there were fewer than 100 unconventional gas wells; now there are more than 8,000.

For his study, Schwartz and his colleagues analyzed data from Geisinger Health System, which covers 40 counties in north and central Pennsylvania. They studied the records of 9,384 mothers who gave birth to 10,946 babies between January 2009 and January 2013. They compared that data with information about wells drilled for fracking and looked at how close they were to the homes of the pregnant mothers as well as what stage of drilling the wells were in, how deep the wells were dug and how much gas was being produced at the wells during the mothers' pregnancies. Using this information, they developed an index of how active each of the wells were and how close they were to the women.

The researchers found that living in the most active quartile of drilling and production activity was associated with a 40 percent increase in the likelihood of a woman giving birth before 37 weeks of gestation (considered pre-term) and a 30 percent increase in the chance that an obstetrician had labeled their pregnancy "high-risk," a designation that can include factors such as elevated blood pressure or excessive weight gain during pregnancy. When looking at all of the pregnancies in the study, 11 percent of babies were born preterm, with the majority (79 percent) born between 32 and 36 weeks.

The U.S. Centers for Disease Control and Prevention says that preterm-related causes of death together accounted for 35 percent of all infant deaths in 2010, more than any other single cause. Being born prematurely is also a leading cause of long-term neurological disabilities in children. Preterm birth cost the U.S. health care system more than \$26 billion in 2005, they say.

While the study can't pinpoint why the pregnant women had worse outcomes near the most active wells, Schwartz says that every step of the drilling process has an environmental impact. When the well pads are created, diesel equipment is used to clear acres of land, transport

equipment and drill the wells themselves. Drilling down thousands of feet and then horizontally many more thousands of feet requires heavy equipment to break up the shale where the gas sits. Hydraulic fracturing (fracking) then involves injecting millions of liters of water mixed with chemicals and sand to fracture the shale. The fluids are then pumped back to the surface. The gas itself also releases pollutants.

Schwartz also says that having a well developed nearby results in increased noise, road traffic and other changes that can increase maternal stress levels.

"Now that we know this is happening we'd like to figure out why," Schwartz says. "Is it air quality? Is it the stress? They're the two leading candidates in our minds at this point."

Energy companies moved to natural [gas wells](#) dug using fracking when gas prices were high and supplies were low. While New York State has banned fracking altogether and there is a moratorium on it in Maryland, Pennsylvania has embraced the industry.

At the peak in 2011, Pennsylvania dug 1,900 wells and gas was \$12.11 per thousand cubic feet. And while production is down as prices have plummeted - the state is on track for fewer than 500 new wells in 2015 with the price at \$3.69 per thousand cubic feet in July - Schwartz predicts the economy will again shift and fracking will again be back in favor.

Nevertheless, Schwartz says policymakers must understand there may be real risks as they make decisions on future wells. While the research is still in its infancy, Schwartz says everything that has come out so far should give decision makers cause for concern.

"The first few studies have all shown health impacts," he says.

"Policymakers need to consider findings like these in thinking about how they allow this industry to go forward."

More information: "Unconventional Natural Gas Development and Birth Outcomes in Pennsylvania, USA" *Epidemiology*, 2015.

Provided by Johns Hopkins University Bloomberg School of Public Health

Citation: Fracking industry wells associated with premature birth (2015, October 8) retrieved 6 May 2024 from <https://medicalxpress.com/news/2015-10-fracking-industry-wells-premature-birth.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
