

New guidelines aim to enhance accuracy of medical tests

October 28 2015

Seeking to improve the reliability of medical testing, an international team of top experts is releasing new guidelines for doctors and scientists on how to best report their assessments of new and existing diagnostic tests.

"This is really the question of how do you know the test to diagnose disease really does diagnose disease?" said David E. Bruns, MD, of the University of Virginia School of Medicine's Department of Pathology. "It sounds like such a simple question to ask, but like most simple questions, it turns out it's not so easy."

Better, More Effective Tests

The new guidelines list 30 items that should be included in every report of an accuracy study of a diagnostic test. The guidelines update and streamline the STARD (STAndards for the Reporting of Diagnostic accuracy) guidelines first issued in 2003. "After about 10 years of experience with this, it's been used thousands of times in the literature we felt it was time to bring it up to date," said Bruns, founding architect of STARD.

STARD 2015 calls on researchers to provide clear details on important study aspects such as:

• the specifics of the study hypothesis;



- the limitations of the study;
- the sample size assessed by the study; and
- the intended use and clinical role of the test.

Bruns noted that researchers' failure to describe useful details about a study can have serious consequences for doctors and their patients. "How would you do the study to see if your new cancer test works? The first thought might be, 'Well, we'll get samples from patients who have cancer and we'll get samples from some lab technicians and we will compare the two,'" he said. "If you do that, you'll greatly overestimate how good that test is. We know that for a fact. Part of the reason is that patients who have disease that has been clearly diagnosed are relatively easier to identify by a test than the patients that your <u>test</u> is designed to detect - people who have very early disease that hasn't created symptoms yet. That's much harder to detect."

A Simple, Streamlined Tool

Bruns noted that STARD 2015 is meant to be a simple tool that researchers can use to ensure that they have not overlooked important details. "One of the things we wanted to do was make sure that this guideline on how to be clear was clear," he said with a laugh. "It turned out that some of the things were less clear than we'd hoped. So we wanted to make it as clear as could be."

That's precisely the challenge the guidelines are intended to address. "People know what they mean, so they think it should be obvious," Bruns said. "I've looked at some of the stuff I've written and realized no one would know what I meant. I assumed that people can see the study in front of their eyes the same way I do, and they don't. All they know is what I've written."



Guidelines Published

The new guidelines are set to be published today by multiple scientific journals, including *Radiology, Clinical Chemistry* and the *British Medical Journal*. The guidelines are also being posted online at http://www.equator-network.org.

Provided by University of Virginia

Citation: New guidelines aim to enhance accuracy of medical tests (2015, October 28) retrieved 4 May 2024 from https://medicalxpress.com/news/2015-10-guidelines-aim-accuracy-medical.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.