

Kids with mental ills often treated solely by primary care doctors

October 12 2015, by Dennis Thompson, Healthday Reporter



Shortage of child psychiatrists helps explain findings, expert says.

(HealthDay)—Family doctors and pediatricians are often the sole source of a child's mental health care, particularly for kids suffering from attention-deficit/hyperactivity disorder (ADHD).

More than one-third of U.S. kids receiving care for a [mental health problem](#) are treated by their primary care physician alone, without the involvement of a psychiatrist, psychologist or [social worker](#), according to a new study.

And four out of 10 [children](#) with ADHD are treated by a primary care physician without any collaboration with a mental health professional.

Primary care physicians also appear more likely than psychiatrists to prescribe medications to treat kids with ADHD, according to the study

published online Oct. 12 in the journal *Pediatrics*.

Children with ADHD usually have trouble paying attention and controlling impulsive behaviors. Depending on the child's age, medication and/or behavior therapy are recommended ADHD treatments.

The laws of supply and demand are requiring family doctors and pediatricians to care for these children, said study senior author Dr. Jeanne Van Cleave, an assistant professor of pediatrics at Harvard Medical School in Boston.

"There just aren't enough child psychiatrists in the United States to treat every child with a mental health condition," Van Cleave said. "Given that, any efforts to improve the quality of [mental health care](#) for children would be wise or appropriate to focus on improvements in [primary health care](#), since that is where a lot of that care is happening."

About 11 percent of U.S. kids between 4 and 17 years old—an estimated 6.4 million children—have been diagnosed with ADHD, according to the U.S. Centers for Disease Control and Prevention.

But only about 8,000 child psychiatrists practice in the United States, and perhaps another 600 developmental-behavioral pediatricians, said Dr. Mark Wolraich, director of the Child Study Center at the Oklahoma University Health Sciences Center in Oklahoma City.

"There isn't any way that all of those individuals [with ADHD] are going to be able to see a child psychiatrist," Wolraich said.

For their study, the researchers analyzed data from the Medical Expenditure Panel Survey, an ongoing federal survey designed to assess the cost and use of health care in America. They specifically looked at

children who'd visited a doctor for a mental health condition.

The investigators found that 35 percent of children saw only their family doctor or pediatrician, while another 10 percent received care from both their primary care provider and a psychiatrist, psychologist or social worker.

About 26 percent received care solely from a psychiatrist, and 15 percent received care solely from a psychologist or social worker, the findings showed.

Overall, primary care providers saw more children with ADHD than did mental health providers, caring for a solid 42 percent of kids diagnosed with the disorder. On the other hand, they saw fewer children with anxiety or other mood disorders, the researchers found.

And nearly three-quarters of ADHD children being treated by a primary care doctor were prescribed medication, compared with 61 percent of those receiving care from a psychiatrist, the study authors said.

"This finding likely reflects the fact that the American Academy of Pediatrics has urged primary care pediatricians to take an active role in the treatment of ADHD, and that clinical guidelines for pediatricians recommend that medication should be considered a first-line treatment for all youth with ADHD that are 6 years of age and older," said Dr. Andrew Adesman, chief of developmental and behavioral pediatrics at Cohen Children's Medical Center of New York in New Hyde Park, N.Y.

Kids also would be better served if pediatricians had regular contact with pediatric mental health experts, from whom they could receive guidance, Van Cleave suggested.

"Training is one component, but the supports around caring for children

with [mental health](#) conditions also are important," Van Cleave said. "When [primary care](#) doctors have a question, they should be able to access experts for advice."

More information: For more on ADHD, visit the [U.S. National Institutes of Health](#).

Copyright © 2015 [HealthDay](#). All rights reserved.

Citation: Kids with mental ills often treated solely by primary care doctors (2015, October 12) retrieved 3 May 2024 from <https://medicalxpress.com/news/2015-10-kids-mental-ills-solely-primary.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--