

Team solves longtime puzzle about how we learn

October 26 2015



Isolated cells in the visual cortex of a mouse. Credit: Alfredo/Kirkwood (JHU)

More than a century ago, Pavlov figured out that dogs fed after hearing a



bell eventually began to salivate when they heard the ring. A Johns Hopkins University-led research team has now figured out a key aspect of why.

In the current issue of the journal *Neuron*, neuroscientist Alfredo Kirkwood settles a long-running debate in neurology: Precisely what happens in the brain when we learn? In other words, neurologically speaking, how did Pavlov's dogs learn to associate a ringing bell with the delayed <u>reward</u> that followed? For decades, scientists have had a working theory, but Kirkwood's team is now the first to prove it.

"If you're trying to train a dog to sit, the initial neural stimuli, the command, is gone almost instantly—it lasts as long as the word 'Sit,'" said Kirkwood, a professor with the university's Zanvyl Krieger Mind/Brain Institute. "Before the reward comes, the dog's brain has already turned to other things. The mystery was, 'How does the brain link an action that's over in a fraction of a second with a reward that doesn't come until much later?'"

The working theory—which Kirkwood's team has validated—is that invisible "eligibility traces" effectively tag the neural synapses activated by the stimuli so that it can be cemented as true learning with the eventual arrival of a reward.

In the case of a dog learning to sit, when the dog gets a treat or a reward, neuromodulators like dopamine flood the dog's brain with "good feelings." Though the <u>brain</u> has long since processed the "Sit" command, eligibility traces respond to the neuromodulators, prompting a lasting synaptic change: learning.

The team was able to prove the theory by isolating <u>cells</u> in the visual cortex of a mouse. When they stimulated the axon of one cell with an electrical impulse, they sparked a response in another cell. By doing this



repeatedly, they mimicked the synaptic response between two cells as they process a stimulus and create an eligibility trace. When the researchers later flooded the cells with neuromodulators, simulating the arrival of a delayed reward, the response between the cells strengthened or weakened, showing the cells had "learned" and were able to do so because of the eligibility trace.

"This is the basis of how we learn things through reward," Kirkwood said, "a fundamental aspect of learning."

In addition to a greater understanding of the mechanics of learning, these findings could enhance teaching methods and lead to treatments for cognitive problems.

More information: Neuron,

www.cell.com/neuron/abstract/S0896-6273%2815%2900826-0

Provided by Johns Hopkins University

Citation: Team solves longtime puzzle about how we learn (2015, October 26) retrieved 3 May 2024 from <u>https://medicalxpress.com/news/2015-10-team-longtime-puzzle.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.