

Anti-smoking messages can backfire, research suggests

November 2 2015



Credit: Vera Kratochvil/public domain

Public health policies targeted at smokers may actually have the opposite effect for some people trying to quit, according to new evidence released today.

Research indicates that stigmatizing [smoking](#) can, in some cases, make it harder for people to quit because they become angry and defensive and

the [negative messages](#) lead to a drop in [self-esteem](#).

The findings, published in *Social Science & Medicine*, highlight the potential for negative stereotypes to backfire, especially when it comes to public health campaigns.

"Consequences of stigmatizing stereotypes ranged from increased intentions to quit smoking to increased stress to greater resistance to quitting smoking," said Rebecca Evans-Polce, postdoctoral fellow, The Methodology Center and the Bennett Pierce Prevention Research Center, Penn State.

Evans-Polce and colleagues from the U.K., Brazil and Germany conducted a review of almost 600 articles relating to smoking self-stigma. While the evidence shows that stigmatizing smoking may prompt some individuals to quit, the authors say that health policies could instead focus on more positive strategies, reinforcing the benefits of giving up smoking rather than reiterating negative stereotypes.

"The stereotypes that [smokers](#) deal with are almost universally negative," said Sara Evans-Lacko, research fellow, London School of Economics and Political Science.

One study found that 30 to 40 percent of smokers felt high levels of family disapproval and social unacceptability and 27 percent felt they were treated differently due to their smoking status. Another study found that 39 percent of smokers believed that people thought less of them.

"The stigma for parents who smoke is particularly strong," added Evans-Lacko.

In multiple studies, smokers used words such as "leper," "outcast," "bad

person," "low-life" and "pathetic" to describe their own behavior.

The stigma surrounding smokers leads to a number of different outcomes, including relapses, increased resistance to quitting, self-induced social isolation and higher stress levels.

Other studies examined gender biases in relation to smokers, revealing that Pakistani and Bangladeshi women who smoked were seen as "shameful" and "tainted" whereas male smokers from the same culture were viewed as "macho." Another study showed that women in general regret taking up smoking more than men do.

Evans-Lacko said the evidence shows that vulnerable groups with few coping resources would benefit from anti-smoking programs that do not stigmatize smoking but focus instead on the benefits of giving up.

"Future research is needed to understand what factors are related to how individuals respond to smoking stigma," said Evans-Polce.

Provided by Pennsylvania State University

Citation: Anti-smoking messages can backfire, research suggests (2015, November 2) retrieved 11 May 2024 from <https://medicalxpress.com/news/2015-11-anti-smoking-messages-backfire.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.