

Improvements in US diet lower premature deaths

November 2 2015

Two new studies from Harvard T.H. Chan School of Public Health shed light on critical dietary issues facing Americans. One study showed that while recent improvements in the U.S. diet have helped reduce disease and premature death, the overall American diet is still poor. Another, which analyzed interventions to reduce childhood obesity, found three that would save more in health care costs than they would cost to implement.

Both studies will be published November 2, 2015 in the November issue of *Health Affairs*.

Steady improvement, but long way to go

In the U.S. diet study, researchers analyzed how changes in [dietary quality](#) from 1999-2012 impacted disease and premature death. They examined dietary quality among 33,885 U.S. adults who participated in the National Health and Nutrition Examination Survey, using a measure called the Alternate Healthy Eating Index 2010. To see how this dietary quality would impact disease and mortality, they used information from two long-running studies, the Nurses' Health Study and Health Professionals Follow-Up Study, involving roughly 173,000 people.

They found that healthier eating habits cumulatively prevented 1.1 million [premature deaths](#) over the 14 years, and the difference in dietary quality between 1999 and 2012 resulted in 12.6% fewer type 2 diabetes

cases, 8.6% fewer cardiovascular disease cases, and 1.3% fewer cancer cases.

Notably, the researchers found that it only took small improvements in dietary quality to substantially reduce disease burden, which is a measure of both fatal and non-fatal loss of [health](#) due to disease.

Despite steady improvement, however, the authors said that overall dietary quality in the U.S. is far from optimal. They found that the study participants' average healthy eating score—on a scale ranging from 0-110, with 110 being the healthiest—never reached 50.

In addition, disparities across different socioeconomic groups actually increased during the study period; African Americans had the poorest dietary quality, and this was accounted for by differences in income and education. The researchers also found that, except for significant reductions in trans fat and sugar-sweetened beverages, most key components of healthful diets showed only modest or no improvements.

Noting that the drop in trans fat intake was driven largely by regulatory actions, such as the FDA's recent ban on its use, the authors suggested that additional policies—such as expanding taxation on sugary beverages or mandating less salt in food—could help maintain and accelerate improvements in the national diet.

"Our findings provide further justification for promoting healthful diets as a national priority for chronic disease prevention, as well as for legislative and regulatory actions to improve the food supply more broadly," said Dong Wang, a doctoral candidate, SD '17, in the Departments of Nutrition and Epidemiology at Harvard Chan School and lead author of the study.

Cost-effective interventions

In another Harvard Chan School study, led by Steven Gortmaker, professor of the practice of health sociology, researchers analyzed the cost-effectiveness of interventions for reducing childhood obesity in the U.S. They found three that would more than pay for themselves by reducing health care costs related to obesity: an excise tax on sugar-sweetened beverages; elimination of the tax subsidy for advertising unhealthy food to children; and nutrition standards for food and drinks sold in schools outside of school meals, such as those found in the current Smart Snacks in School federal regulation. If implemented nationally, the three interventions would prevent 576,000, 129,100, and 345,000 cases of childhood obesity, respectively, in 2025. The net savings to society for each dollar spent were projected to be \$30.78, \$32.53, and \$4.56, respectively.

This is the first study of its kind to estimate the cost-effectiveness of such a wide variety of nutrition interventions that are high on the obesity policy agenda—documenting their potential reach, comparative effectiveness, implementation cost, and cost-effectiveness.

In their analysis, which looked at the U.S. population over the 10-year period from 2015-25, researchers reviewed existing evidence and developed a detailed prediction model to calculate the costs and effectiveness of the interventions through their impact on body mass index, obesity prevalence, and obesity-related health care costs.

Noting that "the United States will not be able to treat its way out of the obesity epidemic," the authors wrote that policy makers should focus on implementing cost-effective preventive interventions with broad population reach. The study's results emphasize the importance of ongoing implementation of recent reforms to the school food environment included in both the Smart Snacks in School regulation and in improvements to school meal programs under the Healthy, Hunger-Free Kids Act of 2010.

"Our results highlight the importance of investing in prevention for policy makers aiming to reduce childhood obesity," said Gortmaker.

"Interventions early in the life course have the best chance of reducing long-term obesity prevalence and related mortality and [health care costs](#)."

More information: "Improvements In US Diet Helped Reduce Disease Burden And Lower Premature Deaths, 1999-2012; Overall Diet Remains Poor," Dong D. Wang, Yanping Li, Stephanie E. Chiuve, Frank B. Hu, Walter C. Willett, *Health Affairs*, November 2, 2015, [DOI: 10.1377/hlthaff.2015.0640](https://doi.org/10.1377/hlthaff.2015.0640)

"Three Interventions To Reduce Childhood Obesity Are Projected To Save More Than They Cost To Implement," Steven L. Gortmaker, Y. Claire Wang, Michael W. Long, Catherine M. Giles, Zachary J. Ward, Jessica L. Barrett, Erica L. Kenney, Kendrin R. Sonneville, Amna Sadaf Afzal, Stephen C. Resch, and Angie L. Craddock, *Health Affairs*, November 2, 2015, [DOI: 10.1377/hlthaff.2015.0631](https://doi.org/10.1377/hlthaff.2015.0631)

Provided by Harvard T.H. Chan School of Public Health

Citation: Improvements in US diet lower premature deaths (2015, November 2) retrieved 25 April 2024 from <https://medicalxpress.com/news/2015-11-diet-premature-deaths.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.