

Group medicine appointments effective for glycemic control

November 18 2015



(HealthDay)—Medical management delivered via group medical appointments (GMAs) appears to be effective for glycemic control in patients with type 2 diabetes, according to research published in the November issue of *Diabetes Spectrum*.

Cora A. Caballero, N.P., from Loma Linda Healthcare System in California, and colleagues conducted an electronic chart review comparing GMA care for 52 male patients with usual primary care for 52 [male patients](#), all with type 2 diabetes. Demographic and health-related variables were analyzed.

The researchers found that the target hemoglobin A1c goals were reached by a greater proportion of GMA patients than usual primary care patients (50 versus 19.2 percent; $P = 0.001$). The rate of decline of

hemoglobin A1c over time was significantly faster for GMA participants versus usual [primary care](#) participants (P

"This study demonstrated that the concept of medical management delivered in a group approach had a positive effect on [glycemic control](#) in patients with type 2 diabetes," the authors write. "GMAs were found to be an effective approach to achieving patient-centered goals for improving the glycemic control of patients with type 2 diabetes."

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2015 [HealthDay](#). All rights reserved.

Citation: Group medicine appointments effective for glycemic control (2015, November 18)
retrieved 5 May 2024 from
<https://medicalxpress.com/news/2015-11-group-medicine-effective-glycemic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
