

Running prevents postnatal side effects of epilepsy drugs in mice

November 19 2015



This graphic shows how running versus being sedentary affected VPA postnatal side effects in rodents. Credit: Juliandi and Tanemura et al./*Stem Cell Reports* 2015

The simple act of running may be sufficient to prevent long-term



cognitive impairments caused by prenatal exposure to antiepileptic drugs, according to a study published November 19th in *Stem Cell Reports*, the journal of the International Society for Stem Cell Research. The findings revealed that prenatal exposure to a commonly used antiepileptic drug called valproic acid (VPA) inhibited the birth of new neurons in the brains of adult mice and impaired their performance on learning and memory tasks. Remarkably, these postnatal side effects were largely prevented when the mice were given access to a running wheel at a young age.

"Currently, the children of epileptic women who take VPA during pregnancy suffer cognitive deficiencies without any available methods for prevention or treatment," says senior study author Kinichi Nakashima of Kyushu University. "If the findings are supported by future clinical trials in humans, then voluntary exercise could be considered as a way to improve the intellectual functioning of these children."

Epilepsy is one of the most common neurological disorders globally, affecting an estimated 50 million people worldwide. Approximately 30% of sufferers are women of childbearing age, and antiepileptic drugs such as VPA are commonly given during pregnancy. But recent studies in humans have suggested that prenatal exposure to these drugs could lower IQ scores and cause wide-ranging cognitive deficits in childhood. Because the underlying molecular mechanisms are unclear, there are currently no effective treatments for affected children of epileptic mothers who took antiepileptic drugs during pregnancy.

In the new study, Nakashima and his team found that <u>prenatal exposure</u> to VPA enhanced the birth of new neurons in the brains of embryos, rapidly depleting the pool of neural precursor cells. As adults, these mice showed a decrease in the birth of new neurons in a brain region called the hippocampus, as well as deficits in several learning and memory



tasks. But voluntary exercise on a running wheel for two months at a young age increased neurogenesis in the hippocampus and largely prevented learning and memory deficits.

However, many questions need to be answered before the findings can be translated to humans. For example, the study was conducted on nonepileptic pregnant mice thatmay respond differently to VPA than epileptic patients. Moreover, it is still not clear exactly how voluntary exercise improves cognitive performance following prenatal VPA exposure. Addressing these issues will be important for developing appropriate therapies for humans.

With this goal in mind, Nakashima and his collaborators will next examine whether voluntary exercise improves cognitive functioning by restoring the normal balance of excitatory and inhibitory signals in the hippocampus. They also plan to examine the potential role of other brain regions involved learning and memory. "Any information gathered from these follow-up experiments will improve our understanding of the pathology and open up new avenues for further exploration of better treatment methods."

More information: *Stem Cell Reports*, Juliandi and Tanemura et al.: "Reduced Adult Hippocampal Neurogenesis and Cognitive Impairments following Prenatal Treatment of the Antiepileptic Drug Valproic Acid" <u>dx.doi.org/10.1016/j.stemcr.2015.10.012</u>

Provided by Cell Press

Citation: Running prevents postnatal side effects of epilepsy drugs in mice (2015, November 19) retrieved 16 August 2024 from <u>https://medicalxpress.com/news/2015-11-postnatal-side-effects-epilepsy-drugs.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.