

USDA takes a fresh look at the calorie content of walnuts

December 1 2015



New study finds walnuts may provide 21 percent fewer calories than previously estimated using Atwater method. Credit: California Walnut Commission

A new study published in the *Journal of Nutrition* found that one serving of walnuts (1oz) may provide 146 calories, which is 39 calories less, or

21 percent fewer, than the 185 calories listed in the USDA Nutrient Database. (1) The study takes into account the digestibility of walnut pieces and halves, and further research is needed to better understand the results of the study and how this technique for calculating calories could potentially affect the calorie count of other foods. The research was led by Dr. David J. Baer, PhD, Supervisory Research Physiologist at the Agricultural Research Service, United States Department of Agriculture (USDA).

Historically, the calorie value for [walnuts](#) was determined using the Atwater factors, which were developed in the late 19th century and calculates metabolizable energy, or energy available to the body, for many foods. Dr. Baer's research, which used the bomb calorimetry method to calculate calories of walnuts metabolized by the study participants, found that the metabolizable energy of walnuts was 21 percent less than that predicted by the Atwater factors.

"The potential for using this method to investigate the [calorie content](#) of walnuts is intriguing," said Dr. Baer. "Given the potential health benefits of consuming walnuts, including the reduced risk for cardiovascular disease (2), it is worthwhile to understand the calorie content of walnuts in the human diet and potentially reduce the barriers to their consumption."

To reach the outcome of the study, the research team studied 18 healthy adults. Each person was assigned randomly to a sequence of two diets: a controlled American diet without walnuts for a 3-week period, and a controlled diet with 1.5 servings of walnuts (42 grams) for another 3-week period. Total calorie levels were consistent for individual participants across both treatment periods. Administered diets, walnuts, fecal and urine samples were collected and subject to bomb calorimetry, to measure [calories](#), and the resulting data were used to calculate the metabolizable energy of the walnuts.

More information: D. J. Baer et al. Walnuts Consumed by Healthy Adults Provide Less Available Energy than Predicted by the Atwater Factors, *Journal of Nutrition* (2015). [DOI: 10.3945/jn.115.217372](https://doi.org/10.3945/jn.115.217372)

Provided by California Walnut Commission

Citation: USDA takes a fresh look at the calorie content of walnuts (2015, December 1) retrieved 6 May 2024 from <https://medicalxpress.com/news/2015-12-usda-fresh-calorie-content-walnuts.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.