


Clinical significance of varying degrees of neutropenia explored

January 28 2016



(HealthDay)—Neutropenia is associated with viral infections and

hematological malignancies in a dose-dependent manner, according to a study published online Jan. 21 in the *Journal of Internal Medicine*.

C.L. Andersen, from the University of Copenhagen in Denmark, and colleagues examined the clinical significance of [neutropenia](#). A primary care resource was used to examine the correlation with various conditions and all-cause mortality in the four years following neutropenia identification for more than 370,000 individuals.

The researchers identified neutropenia in about 1 percent of all individuals, which correlated with viral infections, hematological malignancies (but not autoimmune disorders or solid cancers), and mortality in a dose-dependent manner. There was a particular correlation for neutropenia with HIV, acute leukemias, and myelodysplastic syndromes. For individuals with subnormal, mild, and moderate neutropenia, the odds ratios for [viral infections](#) were 2.32, 2.80, and 4.77, respectively (all P < .05, respectively).

"The risk estimates presented here support focusing attention to [viral diseases](#) and hematological malignancies when neutropenia is observed," the authors write.

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2016 [HealthDay](#). All rights reserved.

Citation: Clinical significance of varying degrees of neutropenia explored (2016, January 28)
retrieved 25 April 2024 from
<https://medicalxpress.com/news/2016-01-clinical-significance-varying-degrees-neutropenia.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.