

# 'Dry eye' linked to chronic pain syndromes

January 6 2016

---

Physician-researchers with Bascom Palmer Eye Institute, part of UHealth—the University of Miami Health System, have found a link between "dry eye" and chronic pain syndromes—a finding that suggests that a new paradigm is needed for diagnosis and treatment to improve patient outcomes.

"Our study indicates that some patients with dry eye have corneal somatosensory pathway dysfunction and would be better described as having neuropathic ocular [pain](#)," said Anat Galor, M.D., M.S.P.H., a cornea and uveitis specialist and associate professor of clinical ophthalmology at Bascom Palmer Eye Institute at the University of Miami Miller School of Medicine, and the lead author of the groundbreaking study, "Neuropathic Ocular Pain due to Dry Eye is Associated with Multiple Comorbid Chronic Pain Syndromes," published recently in the American Pain Society's *Journal of Pain*.

Roy C. Levitt, M.D., a neuroanesthesiologist, pain specialist, and geneticist also at the Miller School, and corresponding author, noted, "A multidisciplinary approach used for [chronic pain treatment](#) may also benefit these dry eye patients."

Galor and Levitt are part of a team of Bascom Palmer Eye Institute and UHealth physicians who treat dry eye.

Their research team evaluated 154 dry eye patients from the Miami Veterans Affairs Hospital. "Dry eye patients in our study reported higher levels of ocular and non-ocular pain associated with multiple chronic

pain syndromes, and had lower scores on depression and quality-of-life indices consistent with a central sensitivity disorder," said Levitt, a professor and Vice Chair of Translational Research and Academic Affairs in the Department of Anesthesiology, Perioperative Medicine and Pain Management. "We also suspect that neuropathic ocular pain may share causal genetic factors with other overlapping [chronic pain conditions](#)."

The American Eye Institute estimates that dry eye affects about 3 million Americans every year. When the eyes do not produce an adequate supply of tears or the tears evaporate too quickly from the surface of the cornea, patients develop an "itchy" or painful sensation. Left untreated, dry eye can lead to inflammation, ulcers or scars on the cornea.

"Patients' eyes may become hyper-sensitive to stimuli, such as wind or light, or have spontaneous pain such as a feeling of burning, which is typically associated with nerve injury," said Levitt.

"Traditionally, eye specialists have treated dry eye with artificial tears or topical medications for the surface of the cornea," said Galor. "However, even if these treatments improve some dry eye symptoms, many patients continue to report underlying ocular and non-ocular pain."

Reflecting on the implications of the study, Galor said, "Our highest priority is educating physicians that dry eye represents an overlapping [chronic pain](#) condition. Consequently, a multidisciplinary approach should be considered in the diagnosis and [pain management](#) of [dry eye](#) patients."

Provided by University of Miami Miller School of Medicine

Citation: 'Dry eye' linked to chronic pain syndromes (2016, January 6) retrieved 28 April 2024 from <https://medicalxpress.com/news/2016-01-eye-linked-chronic-pain-syndromes.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.