

Lab keeps cancer treatment radiation machines honest

January 25 2016, by David Tenenbaum



Larry DeWerd, a professor of medical physics at UW–Madison, directs the University of Wisconsin Radiation Calibration Laboratory, which tests and calibrates radiation-measurement devices from around the nation and beyond. Credit: David Tenenbaum

As radiation sources used to map disease and attack cancer grow in



number and complexity, a University of Wisconsin—Madison center continues to offer the last word on accurate radiation doses.

From its headquarters in the basement of the Wisconsin Institutes for Medical Research, the University of Wisconsin Radiation Calibration Laboratory fine-tunes instruments used by clinics to measure radiation doses from X-ray machines, CAT scanners and medical linear accelerators used to treat cancer.

"We are one of three institutions in the United States that base our accuracy on devices verified by NIST (the National Institute of Standards and Technology)," says director Larry DeWerd, a UW–Madison professor of medical physics. "And we provide <u>calibration</u> to approximately 60 percent of the U.S. medical physics market."

By measuring an unknown instrument against a known one, the process of calibration creates a correction factor that clinics can use to ensure safety and accuracy of the dose, says DeWerd.

DeWerd, who received his doctorate from UW–Madison and has worked at the lab since its inauguration in 1981, credits John Cameron, founder of the world's largest department of medical physics at UW–Madison, with help in the startup. "I was talking with him about a calibration lab, and he thought it was a great idea."

The lab has a full set of equipment, such as radiation sources and calibration devices, 10 employees and 15 graduate students. "Our students get a hands-on opportunity to do research and work in the lab," says DeWerd. "We provide education to users as well as calibrate their devices. We do charge fees for our calibration services, and most of the graduate student research is supported by fee income."

As radiation sources evolve, "we need to ask questions so these new



devices can be used safely and effectively," DeWerd says. "The organizations and clinics that buy calibrations from us are funding necessary research while they get a service that's only available from two other sources in the nation."

The high-energy photons created by X-ray machines, CAT scanners, medical linear accelerators and radioactive decay are called ionizing radiation because they can strip away electrons to ionize atoms. Medical radiation is measured by sophisticated ionization chambers that create an electrical current when exposed to the <u>ionizing radiation</u>. This electrical current is read out by an electric meter that can provide the radiation dose.

To begin a calibration study, the lab measures a beam of radiation using a chamber that has been calibrated at NIST and is accurate to within 0.5 percent. Then clinical medical physicists place chambers owned by clinics, hospitals or cancer centers in the beam.

"We first measure with our chamber, which has been tested at NIST, and then measure their chamber in the exact same beam," says DeWerd. "If our chamber measures 100 units, and their chamber measures 105, that establishes the correction factor they must use to obtain an accurate measurement from their chamber."

After being returned to its owner, a calibrated chamber may be used for two years before recalibration is needed.

Half a century or so ago, the dosage from X-ray machines and accelerators could vary significantly, DeWerd says. Although calibration has changed all that, innovations in medical systems continue to overturn the field. One significant advance comes from steerable radiation treatment machines like the TomoTherapy machine. This device, invented at UW–Madison and still manufactured in Madison, "shapes" a



beam and "shoots" it at multiple angles. Both measures are intended to reduce damage to healthy tissue while tumors are irradiated.

External radiation beams are not the only sources needing calibration. Lab researchers have also been calibrating an innovative sheet radiation source designed to treat multiple cancer sites. Continual advances in "brachytherapy"—the placement of small, contained sources of radioactive isotopes inside the body to treat cancer—also raise research questions.

Beyond servicing <u>radiation</u> oncology and radiology clinics around the nation and far beyond, the lab calibrates for some of the UW–Madison spinoffs that sell calibration devices to industry. These businesses, like the lab itself, trace their roots back to John Cameron.

"Our emphasis is standards; making measurements and tracing them back to the primary numbers from NIST," DeWerd says. "We also work closely with NIST. Sometimes we do original research and pass it on to them. Or they do the research, and we put their results to work for us."

Provided by University of Wisconsin-Madison

Citation: Lab keeps cancer treatment radiation machines honest (2016, January 25) retrieved 4 May 2024 from <u>https://medicalxpress.com/news/2016-01-lab-cancer-treatment-machines-honest.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.