

# Mosquitos capable of carrying Zika virus found in Washington, D.C.

January 26 2016

---



Credit: AI-generated image ([disclaimer](#))

On Monday (Jan. 25, 2016), the World Health Organization announced that Zika virus, a mosquito-borne illness that in the past year has swept quickly throughout equatorial countries, is expected to spread across the Americas and into the United States.

The disease, which was discovered in 1947 but had since been seen in only small, short-lived outbreaks, causes symptoms including a rash, headache and small fever. However, a May 2015 outbreak in Brazil led to nearly 3,500 reports of birth defects linked to the virus, even after its symptoms had passed, and an uptick in cases of Guillain-Barre syndrome, an immune disorder. The Centers for Disease Control and Prevention have issued a travel alert advising pregnant women to avoid traveling to countries where the disease has been recorded.

Zika virus is transmitted by the mosquito species *Aedes aegypti*, also a carrier of dengue fever and chikungunya, two other tropical diseases. Though *Aedes aegypti* is not native to North America, researchers at the University of Notre Dame who study the species have reported a discovery of a major population of the mosquitos in a Capitol Hill neighborhood in Washington, D.C. To add insult to injury, the team identified genetic evidence that these mosquitoes have overwintered for at least the past four years, meaning they are adapting for persistence in a northern climate well out of their normal range.

While the Washington population is currently disease-free, Notre Dame Department of Biological Sciences professor David Severson, who led the team, noted that the ability of this species to survive in a northern climate is troublesome. This mosquito is typically restricted to tropical and subtropical regions of the world and not found farther north in the United States than Alabama, Mississippi, Georgia and South Carolina.

"What this means for the scientific world," said Severson, who led the team, "is some mosquito species are finding ways to survive in normally restrictive environments by taking advantage of underground refugia. Therefore, a real potential exists for active transmission of mosquito-borne tropical diseases in popular places like the National Mall. Hopefully, politicians will take notice of events like this in their own backyard and work to increase funding levels on mosquitoes and

mosquito-borne diseases."

Severson's research focuses on mosquito genetics and genomics with a primary goal of understanding disease transmission. He has studied and tracked mosquitoes all over the world and most recently served as the director of the Eck Institute for Global Health at Notre Dame. His team, in coordination with the Disease Carrying Insects Program of Fairfax County Health Department in Fairfax, Virginia, recently published their findings in the *American Journal of Tropical Medicine and Hygiene*.

**More information:** A. Lima et al. Evidence for an Overwintering Population of *Aedes aegypti* in Capitol Hill Neighborhood, Washington, DC, *American Journal of Tropical Medicine and Hygiene* (2015). DOI: [10.4269/ajtmh.15-0351](https://doi.org/10.4269/ajtmh.15-0351)

Provided by University of Notre Dame

Citation: Mosquitos capable of carrying Zika virus found in Washington, D.C. (2016, January 26) retrieved 6 May 2024 from <https://medicalxpress.com/news/2016-01-mosquitos-capable-zika-virus-washington.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--