

# Why single mothers may need a nap

January 12 2016, by Karen Kaplan, Los Angeles Times

---



Credit: Marty from Manitou Springs, USA. Via Wikipedia.

Who are the most sleep-deprived people in America? Federal researchers say the answer is clear: single mothers.

A new report from the Centers for Disease Control and Prevention finds that 44 percent of single [moms](#) living with children under the age of 18 fall short of recommendations to get at least seven hours of shut-eye

each night.

Single [dads](#) who live with their kids fare a little better - 38 percent of them sleep less than seven hours per night.

Overall, single parents had the worst odds of getting a good night's sleep. But couples with children in their homes also suffered in the sleep department - 33 percent of them slept less than seven hours per night, compared with 31 percent of adults who didn't live with kids. That difference, while small, was statistically significant.

Although single moms were more sleep-deprived than single dads, the reverse was true for moms and dads living with their nuclear families. The report found that 34 percent of these dads got less than seven hours of slumber, compared with 31 percent of moms. This small difference was also statistically significant.

Single parents also had the most trouble [falling asleep](#) and staying asleep, according to the report. Researchers found that 24 percent of single moms and 17 percent of single dads said they had trouble falling asleep at least four times a week. That compares with 14 percent of moms and 10 percent of dads who live together.

In addition, 28 percent of single moms and 19 percent of single dads had trouble staying asleep four or more times a week. They were joined by 21 percent of moms and 13 percent of dads who lived with their partners.

However, couples living with children were better off in these respects than adults without kids in their homes. According to the report, 19 percent of these women had trouble falling asleep and 24 percent of them had trouble staying asleep at least four times a week. For men, 13 percent had trouble falling asleep and 18 percent had trouble staying

asleep at least four times a week.

In each type of family, women were more likely than men to report difficulty falling and staying asleep a majority of the time.

All of this troubled sleep made a difference in the morning. Fully half of single parents living with kids - including 52 percent of single moms and 40 percent of single dads - did not feel well rested four or more days a week.

They were followed by adults in two-parent families, with 47 percent of moms and 38 percent of dads wishing they could get more sleep at least four times a week.

Men (33 percent) and women (39 percent) not living with children were least likely to experience four or more groggy mornings a week.

Despite this, adults who didn't have kids in their homes were the ones most likely to take medicine to help them catch their ZZZZZs.

According to the report, 8 percent of these adults took sleep medications at least four times a week, compared with 7 percent of single parents and 4 percent of [adults](#) living with their partners and their [kids](#).

U.S. health officials have made a good night's sleep a national priority. People who are sleep-deprived are at greater risk for heart disease, diabetes and depression.

They're also more likely to be involved in car crashes or workplace accidents, the report authors noted.

A study published last month in the journal *PLOS Medicine* identified [sleep](#) deprivation as a risk factor for premature death.

The new [report](#) was published Wednesday by the CDC's National Center for Health Statistics. The results were based on responses to the National Health Interview Survey, which is conducted by the NCHS.

©2016 Los Angeles Times

Distributed by Tribune Content Agency, LLC.

Citation: Why single mothers may need a nap (2016, January 12) retrieved 24 April 2024 from <https://medicalxpress.com/news/2016-01-mothers-nap.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.