

Team deciphers sugar's siren song

January 25 2016



Credit: public domain

Sugar's sweetness and calorie content combine to give it lethal power to destroy diets, many scientists have assumed. However, new study by Yale University researchers says the brain responds to taste and calorie counts in fundamentally different ways. And only one of these responses explains why most New Years' resolutions have already disappeared under a deluge of Boston Crème Pies.

It's the brain's desire for calories—not sweetness—that dominates our desire for sugars, according to the study appearing Jan. 25, 2016 in the

journal *Nature Neuroscience*.

"It turns out the brain actually has two segregated sets of neurons to process sweetness and energy signals," said Ivan de Araujo of the John B. Pierce Laboratory and senior author of the study. "If the brain is given the choice between pleasant taste and no energy, or unpleasant taste and energy, the brain picks energy."

Both [sweet taste](#) and nutrient value register in the striatum, an ancient region of the brain involved in processing rewards. Humans have a sweet tooth as one way to ensure we eat enough to give our large brains enough calories to operate at peak efficiency. However, the Yale team studying the brains of mice showed that signals for taste and nutrients are processed in two separate areas of the striatum, the ventral and dorsal, respectively. Signals about the value of taste are processed in the [ventral striatum](#) while nutritional value was processed in the dorsal striatum. The dorsal striatum remained responsive to energy even when calories fed to mice were paired with a very aversive taste.

The researchers then asked which signal had more control over eating behavior. Mice fed both sugar with sweet taste but no calories or sugar that contained calories but was altered to taste horribly preferred the sugar with [energy](#). When neurons in dorsal striatum were activated by light a technique called optogenetics, mice also ate copious amounts of bad-tasting sugar.

"The sugar-responsive circuitry in the [brain](#) is therefore hardwired to prioritize calorie seeking over taste quality," de Araujo said.

The authors hope findings help spur new strategies aiming at curbing excess sugar intake.

More information: Separate circuitries encode the hedonic and

nutritional values of sugar, [DOI: 10.1038/nm.4224](https://doi.org/10.1038/nm.4224)

Provided by Yale University

Citation: Team deciphers sugar's siren song (2016, January 25) retrieved 26 April 2024 from <https://medicalxpress.com/news/2016-01-team-deciphers-sugar-siren-song.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.