

Weekend catch-up sleep can reduce diabetes risk associated with sleep loss

January 18 2016



A sleep study in process is shown. Credit: The University of Chicago Medicine

Two consecutive nights of extended sleep, a typical weekend occurrence, appears to counteract the increased risk of diabetes associated with short-term sleep restriction during the work week, at least in lean, healthy,

young men eating a controlled diet.

The finding, based on a study performed at the University of Chicago sleep laboratory published early online by the journal *Diabetes Care*, could affect large numbers of people who work long hours.

The pattern of cutting back on sleep during the work week followed by catching up on sleep over the weekend is common. Even short-term sleep restriction, with four or five hours of sleep per night, can increase the risk of developing diabetes by about 16 percent—comparable to the increase in risk caused by obesity.

"In this short-term study, we found that two long nights spent catching up on lost sleep can reverse the negative metabolic effects of four consecutive nights of restricted sleep," said study author Josiane Broussard, PhD, now an assistant research professor in the Department of Integrative Physiology at the University of Colorado, Boulder.

The researchers recruited 19 volunteers, all healthy young men. On one occasion, they were allowed to sleep normally, spending 8.5 hours in bed for four nights. On another occasion, the same volunteers were first sleep deprived, allowed only 4.5 hours in bed for four consecutive nights. They spent an average of 4.3 of those hours asleep each night. Subsequently, they were allowed 2 nights of extended sleep, during which they averaged 9.7 hours of sleep.

Investigators then determined the subjects' insulin sensitivity—the ability of insulin to regulate blood sugars—and the disposition index, a predictor of [diabetes risk](#). After four nights of [sleep restriction](#), the volunteers' insulin sensitivity decreased by 23 percent and their diabetes risk increased by 16 percent.

After two nights of extended sleep, however, insulin sensitivity and the

risk of diabetes returned to normal sleep levels.

"The metabolic response to this extra sleep was very interesting and encouraging," said senior author Esra Tasali, MD, associate professor of medicine at the University of Chicago. "It shows that young, healthy people who sporadically fail to get sufficient sleep during the work week can reduce their diabetes risk if they catch up on sleep during the weekend."

"Though this is evidence that weekend catch-up sleep may help someone recover from a sleep-deprived week," Broussard said, "this was not a long-term study and our subjects went through this process only once. Going forward we intend to study the effects of extended weekend sleep schedules in people who repeatedly curtail their weekday sleep."

Increased risk of developing [diabetes](#) is not the only drawback associated with inadequate sleep, the authors point out. The volunteers in this study were given a calorie-controlled diet, but sleep-deprived adults outside the laboratory setting tend to eat more, with a strong preference for sweets and high-fat foods. Chronically sleep deprived people are more likely to develop other health problems such as increased inflammation and high blood pressure. They also show cognitive problems, tend to be less alert and have difficulty concentrating, reasoning and solving problems. They are prone to traffic accidents. The impact of extra weekend [sleep](#) on other adverse health and safety outcomes remains to be determined.

Provided by University of Chicago Medical Center

Citation: Weekend catch-up sleep can reduce diabetes risk associated with sleep loss (2016, January 18) retrieved 3 May 2024 from <https://medicalxpress.com/news/2016-01-weekend-catch-up-diabetes-loss.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.