

Zika virus concerns may curb travel for pregnant women

January 15 2016



(HealthDay)—Pregnant women in the United States may be warned



against traveling to Latin American and Caribbean countries where mosquitoes are spreading a virus that may cause brain damage in newborns.

Experts say a U.S. Centers for Disease Control and Prevention warning against travel to areas with the Zika virus is warranted. The agency could make a final announcement Thursday or Friday, according to a CDC spokesperson. "We can't make these decisions in a vacuum," Thomas Skinner told *The New York Times*. "We're consulting with other experts outside."

It could be the first time the CDC advises <u>pregnant women</u> to stay away from a specific region during an outbreak, officials said.

The Zika virus first appeared in South America in May. Pregnant women infected with it may be at increased risk of having infants with microcephaly, *The Times* reported. So far, local transmission of the Zika virus has been confirmed in 14 countries and territories in the Western Hemisphere: Brazil, Colombia, El Salvador, French Guiana, Guatemala, Haiti, Honduras, Martinique, Mexico, Panama, Puerto Rico, Paraguay, Suriname, and Venezuela.

More information: More Information

Copyright © 2016 HealthDay. All rights reserved.

Citation: Zika virus concerns may curb travel for pregnant women (2016, January 15) retrieved 4 May 2024 from https://medicalxpress.com/news/2016-01-zika-virus-curb-pregnant-women.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.