

## **Doctors should screen teens for major depression, US task force says**

February 9 2016



(HealthDay)—Primary care doctors should screen all patients between



12 and 18 years of age for major depression, but not younger children, preventive health experts say.

Screening of adolescents needs to be accompanied by accurate diagnosis, effective treatment and appropriate follow-up, the U.S. Preventive Services Task Force (USPSTF) said in a final recommendation released Monday.

Screening tools are available to help primary care doctors accurately identify <u>major depression</u> in adolescent patients, and there are effective treatments for this age group, the <u>task force</u> said.

But there isn't enough evidence to gauge the benefits and risks of <u>screening</u> children who are 11 or younger, and more research on depression screening and treatment in this age group is needed, the task force said.

Major depression can hinder teens' school and work performance as well as their relationships with family and friends. The condition often goes undiagnosed and is linked with an increased risk in adulthood of depression and suicide.

"Primary care clinicians can play an important role in helping to identify adolescents with major depressive disorder and getting them the care they need. Accordingly, the task force recommends that primary care clinicians screen all adolescents between 12 and 18 years old for this condition," task force member Dr. Alex Krist said in a USPSTF news release. Krist is an associate professor of family medicine and population health at Virginia Commonwealth University.

Though the task force will need more evidence to make a recommendation for or against screening children who are 11 or younger, task force member Dr. Alex Kemper said concerns about



younger children should never be ignored.

"It is important to take any concern about <u>depression</u> seriously, regardless of age, and any parent who has a concern about their child's mood or behavior should talk with their child's <u>primary care</u> clinician," he said in the news release. Kemper is a professor of pediatrics at Duke University School of Medicine, in Durham, N.C.

The recommendation was published online Feb. 9 in the *Annals of Internal Medicine* and *Pediatrics*.

The task force is an independent, volunteer panel of national experts who regularly review the scientific evidence and make recommendations regarding health screening procedures and preventive medicine.

**More information:** The U.S. National Institute of Mental Health has more about <u>teen depression</u>.

Copyright © 2016 HealthDay. All rights reserved.

Citation: Doctors should screen teens for major depression, US task force says (2016, February 9) retrieved 4 May 2024 from https://medicalxpress.com/news/2016-02-doctors-screen-teens-major-depression.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.