

## Fecal analyses may lead to noninvasive diagnostics for inflammatory bowel disease

## February 5 2016

New research indicates that analyses of vapors from fecal samples can identify volatile metabolites indicative of different types of inflammatory bowel disease, including Crohn's disease and ulcerative colitis.

The findings, which come from a study of <u>fecal samples</u> from 117 people with Crohn's disease, 100 with <u>ulcerative colitis</u>, and 109 healthy controls, suggest that the technique might be useful as a non-invasive screening test that could allow earlier diagnosis of such conditions.

This study is published in *Alimentary Pharmacology & Therapeutics*.

**More information:** I. Ahmed et al. Investigation of faecal volatile organic metabolites as novel diagnostic biomarkers in inflammatory bowel disease, *Alimentary Pharmacology & Therapeutics* (2016). DOI: 10.1111/apt.13522

## Provided by Wiley

Citation: Fecal analyses may lead to noninvasive diagnostics for inflammatory bowel disease (2016, February 5) retrieved 18 April 2024 from <a href="https://medicalxpress.com/news/2016-02-fecal-analyses-noninvasive-diagnostics-inflammatory.html">https://medicalxpress.com/news/2016-02-fecal-analyses-noninvasive-diagnostics-inflammatory.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.