


# Patients with PTSD together with sleep apnea may have reduced quality of life

February 8 2016

---



Regions of the brain associated with stress and posttraumatic stress disorder.  
Credit: National Institutes of Health

New research finds patients suffering from posttraumatic stress disorder (PTSD) and obstructive sleep apnea (OSA) experienced lower quality of life, more sleepiness, and less adherence and response to positive airway pressure (PAP) therapy.

A case-controlled study conducted at the Sleep Disorders Center at the San Antonio Military Medical Center in Fort Sam Houston, TX, performed [sleep](#) studies on 200 military medical patients with PTSD and found that over half were diagnosed with OSA. These patients were compared with 50 matched patients with OSA but not PTSD and with another 50 patients without PTSD or OSA controls.

This study showed that compared with the other groups, patients with both PTSD and OSA had worse quality of life measurements, more sleepiness, and less adherence and response to treatment.

The results point out that [patients](#) with PTSD are also at high risk of having OSA and should be evaluated accordingly. Patients with both PTSD and OSA should also be followed especially closely for adherence and response to PAP treatment.

The complete study, Obstructive Sleep Apnea Syndrome and Posttraumatic Stress Disorder: Clinical Outcomes and Impact of PAP Therapy is available for download in the February issue of *Chest*.

**More information:** Christopher J. Lettieri et al. OSA Syndrome and Posttraumatic Stress Disorder, *Chest* (2016). [DOI: 10.1378/chest.15-0693](#)

Provided by American College of Chest Physicians

Citation: Patients with PTSD together with sleep apnea may have reduced quality of life (2016, February 8) retrieved 10 April 2024 from <https://medicalxpress.com/news/2016-02-patients-ptsd-apnea-quality-life.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private
---

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.