

Vacations can lead to weight gain, contribute to 'creeping obesity'

February 2 2016, by Cal Powell



Jamie Cooper. Credit: Cal Powell/University of Georgia

A week's vacation may leave many adults with a heavier midsection—extra weight that can hang around even six weeks post-vacation.



A faculty member in the University of Georgia's College of Family and Consumer Sciences found that adults going on a one- to three-week vacation gained an average of nearly 1 pound during their trips. With the average American reportedly gaining 1-2 pounds a year, the study's findings suggest an alarming trend.

"If you're only gaining a pound or two a year and you gained threequarters of that on a one- to three-week vacation, that's a pretty substantial <u>weight gain</u> during a short period of time," said Jamie Cooper, an associate professor in the college's department of foods and nutrition.

The study supports the notion of "creeping obesity," the common pattern of adults gaining small amounts of weight over long periods of time, leading to increased health problems later in life.

Cooper's study involved 122 adults between the ages of 18 and 65—average age of 32—who went on vacations ranging from one to three weeks in length between the months of March and August.

While previous studies have analyzed and confirmed significant weight gain during the holiday season, no data previously existed on weight gain during short-term vacations.

Study participants agreed to three lab visits for height, weight and <u>body</u> <u>mass index</u> recordings, in addition to <u>blood pressure</u> and waist-to-hip ratio measurements. The first measurements were taken one week prior to vacation, then again one week and six weeks post-vacation.

The study found that 61 percent of the participants gained weight while on vacation, with an average gain of 0.7 pounds, and that the weight gained throughout the entire study averaged 0.9 pounds.



There was a large variation, however, with some participants losing weight and some gaining as much as 7 pounds.

The vacation weight gain occurred despite a trend for slightly increased physical activity during vacation. The study also showed a decrease in physical activity in the weeks following vacation.

One of the factors that likely contributed to weight gain for study participants was increased caloric intake, especially from alcohol consumption. The average consumption prior to vacation was eight drinks a week. That number went up to an average of 16 per week for study participants, which accounts for a significant increase in calories.

"One of the challenges people face is unless you're diligent about weighing yourself before and after vacation, usually you're not going to notice a pound of weight gain," Cooper said. "People don't realize it's happening, and that's why they don't lose weight following a vacation."

Cooper noted there were some benefits to vacations. Study participants showed significantly reduced stress levels and a slight reduction in systolic blood pressure that lasted even six weeks post-vacation.

"This may, in part, be explained by the trend for more total activity while on vacation," Cooper said. "Whether or not those positive changes in blood pressure and stress can overcome the negative health implications of gaining weight on vacation are yet to be determined."

Cooper said future studies may be able to provide more data by examining food intake during <u>vacation</u> as well as the effectiveness of targeted interventions for cutting back on certain foods and drink.

More information: Jamie A. Cooper et al. A prospective study on vacation weight gain in adults, *Physiology & Behavior* (2016). DOI:



10.1016/j.physbeh.2015.12.028

Provided by University of Georgia

Citation: Vacations can lead to weight gain, contribute to 'creeping obesity' (2016, February 2) retrieved 19 April 2024 from

https://medicalxpress.com/news/2016-02-vacations-weight-gain-contribute-obesity.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.