

Brain activity of nematodes seeking food offers new view on sleep

March 8 2016



Shawn Lockery of the University of Oregon led a study that probed the activity of neurons in nematodes as they randomly sought food. The on-and-off activity of the neurons, which directed the roundworms' movements, appeared to be very similar to fragmentation often observed in human sleep problems. Credit: Photo by Dustin Whitaker



If you have trouble sleeping, the neurons in your brain may be firing like those in roundworms randomly seeking food in the absence of clues, says University of Oregon biologist Shawn R. Lockery.

That connection is proposed in a theoretical neuroscience paper coauthored by 12 researchers at 10 institutions that is in the journal *eLife*. The research—14 years in the making—was led by Lockery and supported by the National Institutes of Health.

As humans <u>sleep</u>, <u>neurons</u> fire randomly in between brief, alternating states of wakefulness and sleep. Such fragmentation is heightened in <u>sleep disorders</u>.

The fragmentation as seen in the <u>worms</u>—the nematode *Caenorhabditis elegans*—offers a new framework to identify genetic and physiological underpinnings of the neural circuitry involved in sleep, the research team concluded. The nematode brain is the smallest known to science, containing just 302 neurons and making it a simple model from which to gather basic information, Lockery said.

"Our field has a complete wiring diagram of this worm's brain," said Lockery, a member of the UO Institute of Neuroscience. "You can find the same neuron in any animal you look into and learn to understand how individual neurons function."

Researchers in Lockery's lab tested the predictability of mathematically driven equations about random search strategies in the brain. To do so, the worms were removed from access to their usual food—bacteria in rotting vegetables—and placed on clean petri dishes with no sensory clues as to where a meal is located.

Initially, the movements of the worms and the neural networks involved were mapped as the worms crawled forward, paused, reversed, and then



resumed their search in another direction.

"Every animal faces the need to find food," Lockery said. "In some instances food is undetectable until you basically fall on it: birds looking for marine invertebrates in the sand will move about and peck until they find their meal. This is called random search."

Humans, too, from hunter-gatherers to those who engage in technologically advanced fishing, exhibit similar random-search behaviors but, "no one has known how the nervous system controls this," Lockery said.

With the mapping done, researchers used lasers to knock out neurons. They expected the worms to spend more time in reverse when neurons linked to forward movement were eliminated, or vice versa. Instead, the reaction was symmetrical. Shorter times were found in both forward and reverse movements.

"There are centers in the human brain stem that promote wakefulness and sleep," Lockery said. "They are coupled just like the system we see in the worms. This involves clusters of neurons that are fighting against each other to be active. We constantly wake up and go back to sleep, but we don't remember it. Sleep is random, just the way the worm's movement is."

Researchers have done similar experiments in rats and mice where neurons related to sleep states were manipulated. The findings are consistent.

"The same paradoxical effect that we found in our worms also occurs in these other organisms," Lockery said. "This line of research suggests that we now have a simple way to try to understand how this fragmentation occurs. That's the first step in understanding how medical science might



be able to pursue therapeutics that could mitigate extreme cases of fragmentation."

More information: William M Roberts et al. *eLife* (2016). DOI: 10.7554/eLife.12572

Provided by University of Oregon

Citation: Brain activity of nematodes seeking food offers new view on sleep (2016, March 8) retrieved 9 April 2024 from

https://medicalxpress.com/news/2016-03-brain-nematodes-food-view.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.