

Distal symmetric polyneuropathy linked to MetS components

March 16 2016



(HealthDay)—Distal symmetric polyneuropathy (DSP) prevalence

increases with an increasing number of components of metabolic syndrome, according to a study published online March 10 in *Diabetes Care*.

Brian C. Callaghan, M.D., from the University of Michigan in Ann Arbor, and colleagues determined the prevalence of symptomatic DSP in the prospective Health, Aging, and Body Composition Study, stratified by glycemic status and the [number](#) of additional [metabolic syndrome](#) components. DSP was defined as neuropathic symptoms plus one or more of three confirmatory tests (heavy monofilament, peroneal conduction velocity, and vibration threshold).

The researchers found that 21.0 percent of the 2,382 participants with neuropathy measures had diabetes, 29.9 percent had prediabetes, 52.8 percent had metabolic syndrome, and 11.1 percent had DSP. Stratified by glycemic status, as the number of components of metabolic syndrome increased there was an increase in DSP prevalence ($P = 0.03$). The only metabolic syndrome measures significantly associated with DSP were [diabetes](#) (cross-sectional model: odds ratio, 1.65) and baseline hemoglobin A1c (longitudinal model: odds ratio, 1.42). Significant associations with multiple secondary neuropathy outcomes were seen for waist circumference and high-density lipoprotein.

"Independent of glycemic [status](#), symptomatic DSP is more common in those with additional metabolic syndrome components," the authors write. "However, the issue of which metabolic syndrome components drive this association, in addition to hyperglycemia, remains unclear."

One author disclosed financial ties to the medical device industry.

More information: [Abstract](#)
[Full Text \(subscription or payment may be required\)](#)

Copyright © 2016 [HealthDay](#). All rights reserved.

Citation: Distal symmetric polyneuropathy linked to MetS components (2016, March 16)
retrieved 26 April 2024 from
<https://medicalxpress.com/news/2016-03-distal-symmetric-polyneuropathy-linked-mets.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.