

Environment behind nearly quarter of global deaths: WHO

March 15 2016



As many as 8.2 million deaths in 2012 could be blamed on air pollution, according to a report by the World Health Organization

One in four deaths worldwide are due to environmental factors like air, water and soil pollution, as well as unsafe roads and workplace stress, the World Health Organization (WHO) said Tuesday.

An estimated 12.6 million people died in 2012 as a result of living and



working in unhealthy environments, 23 percent of all deaths reported globally, according to the new study.

"If countries do not take actions to make environments where people live and work healthy, millions will continue to become ill and die too young," warned WHO chief Margaret Chan in a statement.

The report defines environmental causes broadly, drawing links between a long line of <u>environmental risk factors</u> like pollution, chemical exposure, climate change and ultraviolet radiation, as well as access to firearms and more than 100 diseases and injuries.

As many as 8.2 million of the deaths could be blamed on air pollution, including exposure to second-hand smoke, which is responsible for heart disease, cancers and chronic respiratory disease, the report said.

Among the deaths attributed to <u>environmental factors</u> were 1.7 million caused by "unintentional injuries", including <u>road accidents</u>.

The report also counted 846,000 diarrhoeal disease deaths among environmental mortalities, adding that many were linked to pollution and unsafe drinking water.





Buildings are reflected in the polluted waters of a river in Manila on January 23, 2016

Road accidents, suicides

The WHO reported 246,000 deaths due to intentional injuries, including suicides, which it linked to the unsafe storage and access to firearms, as well as to pesticides—used in a full third of the world's suicides—among other factors.

The report found that most environmentally-linked deaths happened in Southeast Asia, which accounted for 3.8 million such deaths in 2012, followed by the Western Pacific region with 3.5 million.





Among the deaths in 2012 attributed to environmental factors in a new World Health Organisation report were 1.7 million caused by "unintentional injuries", including road accidents

The least affected region was the Americas, with 847,000 deaths blamed on environmental conditions.

Europe had 1.4 million environmentally-linked deaths while Africa reported 2.2 million.

The WHO said that better environmental management could prevent the deaths of 1.7 million children under five, who are especially prone to serious illnesses arising from respiratory infections and diarrhoea.

"There's an urgent need for investment in strategies to reduce environmental risks in our cities, homes and workplaces," said Maria



Neira, WHO's public health chief.

"Such investments can significantly reduce the rising worldwide burden of cardiovascular and respiratory diseases, injuries and cancers, and lead to immediate savings in healthcare costs," she said.

The report is the second of its kind and follows an initial WHO study a decade ago.

© 2016 AFP

Citation: Environment behind nearly quarter of global deaths: WHO (2016, March 15) retrieved 4 May 2024 from https://medicalxpress.com/news/2016-03-environment-quarter-global-deaths.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.