

Five strategies employed to help promote behavior change

March 11 2016



(HealthDay)—Five key strategies are employed by clinicians to help

promote patient behavior change, according to a study published in the March/April issue of the *Annals of Family Medicine*.

Jessica Greene, Ph.D., from George Washington University in Washington, D.C., and colleagues conducted a mixed methods study using data on the change in patient activation measure (PAM) score for 7,144 [patients](#). In-depth interviews were conducted with clinicians whose patients' score increases were among the highest and among the lowest (10 of each).

The researchers identified five strategies that were used among clinicians whose patients had relatively large activation increases to support patient behavior change: emphasizing patient ownership, partnering with patients, identifying small steps, scheduling frequent follow-up visits, and showing caring and concern for patients. Clinicians whose patients had lesser change in activation were less likely to describe using these approaches (mean, 1.3 strategies versus 3.9 for clinicians whose patients had relatively large activation increases). Regardless of group, most clinicians reported developing their own approach to support patient behavior change. Compared with clinicians whose patients showed less improvement in activation, those whose patients showed high activation change reported spending more time with patients on counseling and education.

"The five key strategies used by clinicians with high patient activation change are promising approaches to supporting patient [behavior change](#) that should be tested in a larger sample of [clinicians](#) to validate their effectiveness," the authors write.

One author disclosed financial ties to Insignia Health.

More information: [Full Text](#)

Copyright © 2016 [HealthDay](#). All rights reserved.

Citation: Five strategies employed to help promote behavior change (2016, March 11) retrieved 6 May 2024 from <https://medicalxpress.com/news/2016-03-strategies-behavior.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.