

# Practicing tai chi reduces risk of falling in older adults

March 11 2016

---

Recently, researchers compared the effects of tai chi to leg strengthening exercises (a physical therapy called "lower extremity training," or LET) in reducing falls. Falls are a leading cause of serious injuries in older adults and can lead to hospitalization, nursing home admission, and even death. Arthritis, heart disease, muscle weakness, vision and balance problems, dementia, and other age-related health problems can increase an older adult's risk for experiencing a fall. The study is published in the *Journal of the American Geriatrics Society*.

In their study, researchers assigned 368 people 60-years-old and older who had received medical attention for a fall into one of two groups. The first group received hour-long individual [tai chi](#) classes conducted by tai [chi](#) instructors every week for 24 weeks. Tai chi is an exercise practice developed in China hundreds of years ago. It combines certain postures and gentle movements with mental focus, breathing, and relaxation. Tai chi can be practiced while you're walking, standing, or even seated. Deep breathing, weight shifting, and leg stepping movements are part of the practice. The second group received individual, hour-long LET sessions for 24 weeks conducted by physical therapists. Sessions included stretching, muscle strengthening, and balance training.

The researchers asked participants in both groups to complete at least 80 percent of their sessions, and also to practice either tai chi or LET at home every day during the six- month program and the 12-month follow-up. During the course of the study, all participants kept diaries and

recorded any falls they experienced, and they shared their diaries with researchers each month.

After six months of training, people in the tai chi group were significantly less likely to experience an injury-causing fall than were people in the LET group. Even a year after taking the training, people who took tai chi were about 50 percent less likely to experience an injury-causing fall compared to people in the LET group.

Though participants in the study took individualized tai chi classes at home, "I suggest that [older adults](#) learn tai chi exercises in a class, and practice at home at least once a day," said Mau-Roung Lin, PhD, Professor and Director of the Institute of Injury Prevention and Control, Taipei Medical University in Taipei, Taiwan, a co-author of the study.

**More information:** Hei-Fen Hwang et al. Effects of Home-Based Tai Chi and Lower Extremity Training and Self-Practice on Falls and Functional Outcomes in Older Fallers from the Emergency Department- A Randomized Controlled Trial, *Journal of the American Geriatrics Society* (2016). [DOI: 10.1111/jgs.13952](https://doi.org/10.1111/jgs.13952)

Provided by American Geriatrics Society

Citation: Practicing tai chi reduces risk of falling in older adults (2016, March 11) retrieved 27 June 2024 from <https://medicalxpress.com/news/2016-03-tai-chi-falling-older-adults.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--